

ANATOMY AND PHYSIOLOGY

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. the following are structure pierce the clavipectoral fascia except	3. regarding the deltopectoral triangle, find the true statement	4. which of the following is false about lateral pectoral nerve	5. regarding the accessory phrenic never, find the true statement	6. the following are branches of the thoraco acromial trunk except	7. these muscles belongs to the pectoral region except	8. regarding pectoralis major which of these statements is false	9. regarding the pectoral major muscles, find the true statement	10. the following nerve may pierce the clavicle	11. the skin over the clavicle is innervated by	Answer Sheet Link
1	28-03-2022	Vinnie	Orthopaedic and trauma	Unknown	18	29.5%	M	cephalic vein	a and c	has no cutaneous branch	Is a branch of the nerve to subclavius	pectoral	pectate major	the sternal head extend the humerus from a flexion position	is supplied by branches of the three cords of the brachial plexus	supraclavicular	nerve to subclavius	https://quizzory.in/answer-sheet/6241ec4e7eb0016ad3221b31
2	28-03-2022	Noah	Clinical	Mosoo	30	49.2%	M	cephalic vein	it contains the infraclavicular group of axillary lymph nodes	supplies pectoralis minor	supplies the diaphragm	cervical	subscapularis	the sternal head extend the humerus from a flexion position	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	nerve to subclavius	https://quizzory.in/answer-sheet/6241ec85a86a606b5bafc1f3
3	28-03-2022	Phanice Ndiema	Orthopedic	Sigowet KMTTC	25	41.0%	F	cephalic vein	a and c	pierce clavi-pectoral fascia	c and d	pectoral	subscapularis	is in contact with the cephalic vein in the delto pectoral triangle	it is attached to the floor of the intertubercular sulcus	phrenic	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ecc8a86a606b5bafc1f9
4	28-03-2022	George	Nursing	Makindu	30	49.2%	M	thoraco acromial artery	a and c	has no cutaneous branch	c and d	humeral	subclavius	the sternal head extend the humerus from a flexion position	it is attached to the floor of the intertubercular sulcus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ed3e6aa11b6aa92a39c3
5	28-03-2022	Bensoul	Cm	Bsa	24	39.3%	M	lateral pectoral nerve	a and c	supplies pectoralis major	c and d	humeral	pectate major	the sternal head extend the humerus from a flexion position	is a lateral rotator of the upper arm at the glenohumeral joint	suprascapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ed6b629f256b61ca9c93
6	28-03-2022	Nelima	Nursing	F	13	21.3%	F	cephalic vein	it contains the infraclavicular group of axillary lymph nodes	has no cutaneous branch	supplies the diaphragm	cervical	pectate major	is in contact with the cephalic vein in the delto pectoral triangle	is a lateral rotator of the upper arm at the glenohumeral joint	dorsal scapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ed9202e67c6b887aa5f0

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. the following are structure pierce the clavipectoral fascia except	3. regarding the deltopectoral triangle, find the true statement	4. which of the following is false about lateral pectoral nerve	5. regarding the accessory phrenic never, find the true statement	6. the following are branches of the thoraco acromial trunk except	7. these muscles belongs to the pectoral region except	8. regarding pectoralis major which of these statements is false	9. regarding the pectoral major muscles, find the true statement	10. the following nerve may pierce the clavicle	11. the skin over the clavicle is innervated by	Answer Sheet Link
7	28-03-2022	Stafriza adema	HRIT	Nairobi	19	31.1%	F	lateral thoracic artery	it is bound by pectoralis major and minor muscle	supplies pectoralis minor	Is a branch of the nerve to subclavius	humeral	pectate major	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the branchial plexus	dorsal scapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241edbada70dc6acc9cbb66
8	28-03-2022	Abdiaziz	KRCHN	NAKS	24	39.3%	M	lateral thoracic artery	it contains the infraclavicular group of axillary lymph nodes	has no cutaneous branch	supplies the diaphragm	humeral	serratus anterior	the sternal head extend the humerus from a flexion position	s used in climbingba rope by means of upper limb	supraclavicular	nerve to subclavius	https://quizzory.in/answer-sheet/6241ee0a02e67c6b887aa67e
9	28-03-2022	Okotj	Community health assistant	Kuria	6	9.8%	M	lateral thoracic artery	it contains the infraclavicular group of axillary lymph nodes	supplies pectoralis major	Is a branch of the nerve to subclavius	acromial	subclavius	is in contact with the cephalic vein in the delto pectoral triangle	is a lateral rotator of the upper arm at the glenohumeral joint	dorsal scapular	lateral pectoral nerve	https://quizzory.in/answer-sheet/6241ee17fa04146a875d5bac
10	28-03-2022	Munene	Krnmhp	Muranga	18	29.5%	M	thoraco acromial artery	a and c	has no cutaneous branch	supplies the diaphragm	pectoral	serratus anterior	is ana accessory muscles of respiration	is supplied by branches of the three cords of the branchial plexus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ee248a13dd6b3d3eb0c1
11	28-03-2022	Caro njeri	Nursing	Nairobi	18	29.5%	M	lateral thoracic artery	t is located below the lateral third of the clavicle	supplies pectoralis minor	Is a branch of the nerve to subclavius	cervical	subclavius	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the branchial plexus	suprascapular	lateral pectoral nerve	https://quizzory.in/answer-sheet/6241ee30a86a606b5bafc20c
12	28-03-2022	Jemimah	Nursing	Kisii	31	50.8%	F	lateral pectoral nerve	a and c	has no cutaneous branch	Is a branch of the nerve to subclavius	cervical	subscapularis	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the branchial plexus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ee917eb0016ad3221b52
13	28-03-2022	Wanjira	CM	Mosoriot	12	19.7%	M	cephalic vein	it contains the infraclavicular group of axillary lymph nodes	has no cutaneous branch	supplies the diaphragm	humeral	pectate major	is ana accessory muscles of respiration	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241eebfda70dc6acc9cbb78

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. the following are structure pierce the clavipectoral fascia except	3. regarding the deltopectoral triangle, find the true statement	4. which of the following is false about lateral pectoral nerve	5. regarding the accessory phrenic never, find the true statement	6. the following are branches of the thoraco acromial trunk except	7. these muscles belongs to the pectoral region except	8. regarding pectoralis major which of these statements is false	9. regarding the pectoral major muscles, find the true statement	10. the following nerve may pierce the clavicle	11. the skin over the clavicle is innervated by	Answer Sheet Link
14	28-03-2022	Delphine	Nursing	Muranga	31	50.8%	F	lateral thoracic artery	it is bound by pectoralis major and minor muscle	has no cutaneous branch	supplies the diaphragm	cervical	serratus anterior	the sternal head extend the humerus from a flexion position	is supplied by branches of the three cords of the branchial plexus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241eeca1a974c6b37ffd49b
15	28-03-2022	Richard	Health records	Kakamega	30	49.2%	M	cephalic vein	a and c	supplies pectoralis major	c and d	cervical	subscapularis	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the branchial plexus	phrenic	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ef758a13dd6b3d3eb1a1
16	28-03-2022	Faith	Nursing	Makindu	13	21.3%	F	lateral pectoral nerve	t is located below the lateral third of the clavicle	supplies pectoralis minor	is a branch of the phrenic nerve	clavicular	serratus anterior	is ana accessory muscles of respiration	it is attached to the floor of the intertubercular sulcus	phrenic	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ef8625aeec6af03a1ed2
17	28-03-2022	Bob Oduor	Nursing	Kisumu campus	24	39.3%	M	cephalic vein	t is located below the lateral third of the clavicle	pierce clavi-pectoral fascia	c and d	cervical	serratus anterior	is ana accessory muscles of respiration	it is attached to the floor of the intertubercular sulcus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241efadfb7f576b1ae43ce9
18	28-03-2022	Winnie	Orthopedic	Kuria	19	31.1%	F	lateral pectoral nerve	a and c	has no cutaneous branch	Is a branch of the nerve to subclavius	pectoral	subscapularis	is ana accessory muscles of respiration	is a lateral rotator of the upper arm at the glenohumeral joint	dorsal scapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f0d7a056e36ab098910d
19	28-03-2022	Joy	Orthopedic	Portreitz	1	1.6%	F	thoraco acromial artery	it is bound by pectoralis major and minor muscle	has no cutaneous branch	Is a branch of the nerve to subclavius	humeral	pectate major	is in contact with the cephalic vein in the delto pectoral triangle	is a lateral rotator of the upper arm at the glenohumeral joint	suprascapular	nerve to subclavius	https://quizzory.in/answer-sheet/6241f0e78a13dd6b3d3eb237
20	28-03-2022	Mark	Orthopaedic	Makindu	36	59.0%	M	lateral thoracic artery	a and c	has no cutaneous branch	c and d	humeral	subscapularis	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the branchial plexus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f17aa86a606b5bafc32e

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. the following are structure pierce the clavipectoral fascia except	3. regarding the deltopectoral triangle, find the true statement	4. which of the following is false about lateral pectoral nerve	5. regarding the accessory phrenic never, find the true statement	6. the following are branches of the thoraco acromial trunk except	7. these muscles belongs to the pectoral region except	8. regarding pectoralis major which of these statements is false	9. regarding the pectoral major muscles, find the true statement	10. the following nerve may pierce the clavicle	11. the skin over the clavicle is innervated by	Answer Sheet Link
21	28-03-2022	Frances	Nursing	Kmtc	42	68.9%	M	cephalic vein	a and c	supplies pectoralis minor	c and d	cervical	subscapularis	is in contact with the cephalic vein in the delto pectoral triangle	it is attached to the floor of the intertubercular sulcus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f1efb8c93c6b142cf651
22	28-03-2022	Jully	Nursing	Nairobi	7	11.5%	F	cephalic vein	it is bound by pectoralis major and minor muscle	supplies pectoralis minor	Is a branch of the nerve to subclavius	humeral	serratus anterior	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the branchial plexus	suprascapular	lateral pectoral nerve	https://quizzory.in/answer-sheet/6241f240fa04146a875d5d29
23	28-03-2022	Winjoy	Orthopedic	Makindu	25	41.0%	F	lateral pectoral nerve	it is bound by pectoralis major and minor muscle	supplies pectoralis major	supplies the diaphragm	cervical	subscapularis	is ana accessory muscles of respiration	is supplied by branches of the three cords of the branchial plexus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f24a1a974c6b37fd515
24	28-03-2022	Aquilla	HR	Voi	13	21.3%	F	cephalic vein	t is located below the lateral third of the clavicle	has no cutaneous branch	c and d	humeral	subclavius	is in contact with the cephalic vein in the delto pectoral triangle	it is attached to the floor of the intertubercular sulcus	supraclavicular	lateral pectoral nerve	https://quizzory.in/answer-sheet/6241f26eda70dc6acc9cbced
25	28-03-2022	Michael	Medicine and surgery	Presco	24	39.3%	M	cephalic vein	a and c	has no cutaneous branch	c and d	humeral	pectate major	is in contact with the cephalic vein in the delto pectoral triangle	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f2b002e67c6b887aa892
26	28-03-2022	DORYNE sungu	Nursing	Lake Victoria	19	31.1%	F	lateral pectoral nerve	a and c	has no cutaneous branch	is a branch of the Long thoracic nerve	humeral	pectate major	is ana accessory muscles of respiration	is supplied by branches of the three cords of the branchial plexus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f2b2b8c93c6b142cf6df
27	28-03-2022	Ray	Clinical medicine	Port	18	29.5%	M	cephalic vein	it is bound by pectoralis major and minor muscle	has no cutaneous branch	is a branch of the phrenic nerve	pectoral	serratus anterior	the sternal head extend the humerus from a flexion position	s used in climbingba rope by means of upper limb	suprascapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f301629f256b61ca9ef7

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. the following are structure pierce the clavipectoral fascia except	3. regarding the deltopectoral triangle, find the true statement	4. which of the following is false about lateral pectoral nerve	5. regarding the accessory phrenic never, find the true statement	6. the following are branches of the thoraco acromial trunk except	7. these muscles belongs to the pectoral region except	8. regarding pectoralis major which of these statements is false	9. regarding the pectoral major muscles, find the true statement	10. the following nerve may pierce the clavicle	11. the skin over the clavicle is innervated by	Answer Sheet Link
28	28-03-2022	Zephaniah kiprop	Orthopedic	Sigowet	18	29.5%	M	thoraco acromial artery	a and c	pierce clavi-pectoral fascia	is a branch of the Long thoracic nerve	acromial	pectate major	is ana accessory muscles of respiration	s used in climbingba rope by means of upper limb	suprascapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f37bb8c93c6b142cf7cd
29	28-03-2022	Beatrice	KRCHN	Nyabondo MTC	19	31.1%	F	cephalic vein	it is bound by pectoralis major and minor muscle	has no cutaneous branch	c and d	cervical	serratus anterior	is ana accessory muscles of respiration	is supplied by branches of the three cords of the brachial plexus	phrenic	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f427fb7f576b1ae43ddc
30	28-03-2022	Mark Omen	Nursing	Sigowet	24	39.3%	Option 3	cephalic vein	it contains the infraclavicular group of axillary lymph nodes	supplies pectoralis minor	is a branch of the Long thoracic nerve	humeral	subscapularis	the sternal head extend the humerus from a flexion position	is supplied by branches of the three cords of the brachial plexus	phrenic	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f4317eb0016ad3221c8f
31	28-03-2022	Chepkoech Soi	Orthopaedic	Sigowet	43	70.5%	F	lateral thoracic artery	a and c	pierce clavi-pectoral fascia	c and d	cervical	subscapularis	is ana accessory muscles of respiration	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f45825aeec6af03a2002
32	28-03-2022	Unknown	Nursing	Unknown	12	19.7%	M	cephalic vein	a and c	has no cutaneous branch	supplies the diaphragm	cervical	serratus anterior	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the brachial plexus	dorsal scapular	lateral pectoral nerve	https://quizzory.in/answer-sheet/6241f48a8a13dd6b3d3eb344
33	28-03-2022	Stacy chepkemoi	Nursing	Nairobi	31	50.8%	F	lateral pectoral nerve	it contains the infraclavicular group of axillary lymph nodes	pierce clavi-pectoral fascia	c and d	cervical	subscapularis	is in contact with the cephalic vein in the delto pectoral triangle	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f4ae8a13dd6b3d3eb35e
34	28-03-2022	Janette	Nursing	Siaya	19	31.1%	F	cephalic vein	it contains the infraclavicular group of axillary lymph nodes	has no cutaneous branch	c and d	humeral	serratus anterior	the sternal head extend the humerus from a flexion position	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	lateral pectoral nerve	https://quizzory.in/answer-sheet/6241f4e1da70dc6acc9cbd27

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. the following are structure pierce the clavipectoral fascia except	3. regarding the deltopectoral triangle, find the true statement	4. which of the following is false about lateral pectoral nerve	5. regarding the accessory phrenic never, find the true statement	6. the following are branches of the thoraco acromial trunk except	7. these muscles belongs to the pectoral region except	8. regarding pectoralis major which of these statements is false	9. regarding the pectoral major muscles, find the true statement	10. the following nerve may pierce the clavicle	11. the skin over the clavicle is innervated by	Answer Sheet Link
35	28-03-2022	Collins Ngeno	Orthopaedic	Sigowet	24	39.3%	M	thoraco acromial artery	a and c	supplies pectoralis minor	is a branch of the Long thoracic nerve	humeral	serratus anterior	the sternal head extend the humerus from a flexion position	s used in climbingba rope by means of upper limb	dorsal scapular	nerve to subclavius	https://quizzory.in/answer-sheet/6241f5711a974c6b37ff5ac
36	28-03-2022	Emmaculate Kisamu	Nursing	Isiolo	12	19.7%	M	cephalic vein	t is located below the lateral third of the clavicle	has no cutaneous branch	Is a branch of the nerve to subclavius	humeral	serratus anterior	the sternal head extend the humerus from a flexion position	is supplied by branches of the three cords of the branchial plexus	suprascapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f57825aeec6af03a201a
37	28-03-2022	Rachel	Nursing	Kmtc	13	21.3%	F	cephalic vein	a and c	has no cutaneous branch	Is a branch of the nerve to subclavius	acromial	serratus anterior	is ana accessory muscles of respiration	it is attached to the floor of the intertubercular sulcus	suprascapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f61dfb7f576b1ae43df2
38	28-03-2022	Ryan Adams	CM	Makindu	48	78.7%	M	cephalic vein	a and c	supplies pectoralis minor	c and d	cervical	subscapularis	the sternal head extend the humerus from a flexion position	it is attached to the floor of the intertubercular sulcus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f61d8a13dd6b3d3eb496
39	28-03-2022	Leah	Nursing	Nairobi	37	60.7%	F	cephalic vein	it is bound by pectoralis major and minor muscle	supplies pectoralis minor	c and d	humeral	serratus anterior	the sternal head extend the humerus from a flexion position	s used in climbingba rope by means of upper limb	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f6a9629f256b61ca9f3e
40	28-03-2022	Kim	Nursing	Makueni	24	39.3%	M	cephalic vein	a and c	supplies pectoralis major	c and d	cervical	serratus anterior	is ana accessory muscles of respiration	is supplied by branches of the three cords of the branchial plexus	phrenic	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f6f2a056e36ab09891bf
41	28-03-2022	Collins	Nursing	BMT	18	29.5%	M	lateral pectoral nerve	it is bound by pectoralis major and minor muscle	supplies pectoralis minor	is a branch of the Long thoracic nerve	acromial	subclavius	the sternal head extend the humerus from a flexion position	it is attached to the floor of the intertubercular sulcus	supraclavicular	lateral pectoral nerve	https://quizzory.in/answer-sheet/6241f7237cf5316af62e1f99
42	28-03-2022	Ongwenyi Nyanchama Naomi	Community health nursing	Muranga	19	31.1%	F	lateral thoracic artery	t is located below the lateral third of the clavicle	pierce clavi-pectoral fascia	is a branch of the phrenic nerve	cervical	subscapularis	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the branchial plexus	phrenic	nerve to subclavius	https://quizzory.in/answer-sheet/6241f7a77eb0016ad3221cdc

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. the following are structure pierce the clavipectoral fascia except	3. regarding the deltopectoral triangle, find the true statement	4. which of the following is false about lateral pectoral nerve	5. regarding the accessory phrenic never, find the true statement	6. the following are branches of the thoraco acromial trunk except	7. these muscles belongs to the pectoral region except	8. regarding pectoralis major which of these statements is false	9. regarding the pectoral major muscles, find the true statement	10. the following nerve may pierce the clavicle	11. the skin over the clavicle is innervated by	Answer Sheet Link
43	28-03-2022	Kassim	Orthopedic trauma medicine	Makindu	30	49.2%	M	cephalic vein	it is bound by pectoralis major and minor muscle	pierce clavi-pectoral fascia	c and d	cervical	pectate major	the sternal head extend the humerus from a flexion position	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241f96325aeec6af03a2063
44	28-03-2022	Emmaculate	OTM	Macha	12	19.7%	M	cephalic vein	a and c	has no cutaneous branch	Is a branch of the nerve to subclavius	cervical	pectate major	is in contact with the cephalic vein in the delto pectoral triangle	is a lateral rotator of the upper arm at the glenohumeral joint	phrenic	lateral pectoral nerve	https://quizzory.in/answer-sheet/6241fafc25aeec6af03a2079
45	28-03-2022	Matoi	Ortho	Msa	30	49.2%	M	thoraco acromial artery	a and c	pierce clavi-pectoral fascia	supplies the diaphragm	cervical	serratus anterior	the sternal head extend the humerus from a flexion position	is supplied by branches of the three cords of the branchial plexus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241fc50da70dc6acc9cbe99
46	28-03-2022	Faith sang	Optometry	Kericho	19	31.1%	F	lateral pectoral nerve	it is bound by pectoralis major and minor muscle	has no cutaneous branch	Is a branch of the nerve to subclavius	cervical	subscapularis	is in contact with the cephalic vein in the delto pectoral triangle	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	nerve to subclavius	https://quizzory.in/answer-sheet/6241fcdca86a606b5bafc61d
47	28-03-2022	Salome	Nursing	Kilifi	24	39.3%	M	cephalic vein	t is located below the lateral third of the clavicle	supplies pectoralis minor	supplies the diaphragm	humeral	serratus anterior	the sternal head extend the humerus from a flexion position	is supplied by branches of the three cords of the branchial plexus	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241fd557eb0016ad3221d1a
48	28-03-2022	Aderogba Daud Olalekan	MBBS	UDUS	42	68.9%	M	lateral thoracic artery	a and c	supplies pectoralis minor	c and d	cervical	pectate major	is in contact with the cephalic vein in the delto pectoral triangle	is a lateral rotator of the upper arm at the glenohumeral joint	supraclavicular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ff61629f256b61caa0d1
49	28-03-2022	Makindu	Clinical medicine	Makindu	24	39.3%	M	cephalic vein	a and c	supplies pectoralis minor	c and d	humeral	pectate major	is ana accessory muscles of respiration	is supplied by branches of the three cords of the branchial plexus	suprascapular	supraclavicular nerves	https://quizzory.in/answer-sheet/6241ffc025aeec6af03a213a

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. the following are structure pierce the clavipectoral fascia except	3. regarding the deltopectoral triangle, find the true statement	4. which of the following is false about lateral pectoral nerve	5. regarding the accessory phrenic never, find the true statement	6. the following are branches of the thoraco acromial trunk except	7. these muscles belongs to the pectoral region except	8. regarding pectoralis major which of these statements is false	9. regarding the pectoral major muscles, find the true statement	10. the following nerve may pierce the clavicle	11. the skin over the clavicle is innervated by	Answer Sheet Link
50	28-03-2022	Weru	Nursing	Mkn	1	1.6%	F	lateral pectoral nerve	it contains the infraclavicular group of axillary lymph nodes	supplies pectoralis major	is a branch of the Long thoracic nerve	humeral	serratus anterior	is in contact with the cephalic vein in the delto pectoral triangle	is supplied by branches of the three cords of the branchial plexus	dorsal scapular	nerve to subclavius	https://quizzory.in/answer-sheet/6242002825aeec6af03a2152
51	28-03-2022	Samuel	Nursing	Msambweni	12	19.7%	M	lateral pectoral nerve	it is bound by pectoralis major and minor muscle	supplies pectoralis major	c and d	pectoral	serratus anterior	is ana accessory muscles of respiration	is supplied by branches of the three cords of the branchial plexus	supraclavicular	lateral pectoral nerve	https://quizzory.in/answer-sheet/624200a0712cd06b82f62909