## ECTOPIC PREGNANCY MCQS

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	pregnancy on	4. least common sites for ectopic pregnancy	I COMMON CITAC	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
1	21-01-2023	Bobo	Clinical medicine	Nyahy	16	31.4%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	ampulla	PID	intersittial,ampulla,fimbria,isthmus,	acute PID	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc1fa537d44d091abb76cd
2	21-01-2023	Mercy chepkoech	Clinical medicine	Kisii	25	49.0%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	sudden LAP	True	https://quizzory.in/answer- sheet/63cc200395ed510920ca6985
3	21-01-2023	Nelima	Nursing	Nursing	40	78.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	gonorrhoea	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc201c937cd40974ae173f
4	21-01-2023	Mombo	NURSING	Garissa	40	78.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	gonorrhoea	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	False	https://quizzory.in/answer-sheet/63cc203662474009483d33c1
5	21-01-2023	Cate	NURS	Kiambu	15	29.4%	Female	the blastocyst remains implanted in the endometrial wall	tubal pregnancy	ampulla	ampulla	gonorrhoea	fimbria,ampulla, isthmus, interstitial	endometriosis	the ovum can be ejected into the peritoneal cavity	hypotension	True	https://quizzory.in/answer- sheet/63cc205e37d44d091abb76fb
6	21-01-2023	Abdiwali mohamed	Nursing	makueni	31	60.8%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ovary	non of the above	fimbria,ampulla, isthmus, interstitial	acute PID	the ovum remain implanted	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc207f37d44d091abb76fe
7	21-01-2023	Agnes	Nursing	Nbi	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	isthmus, intersittial,ampulla,fimbria	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc20c8fc244c08bf4fdfc0

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
8	21-01-2023	Alejandro	Nursing	Tim	26	51.0%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	pueperals	ampulla,fimbria,isthmus, intersittial,	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc20d5e9f5e108b99c74b8
9	21-01-2023	Agnes nduku	Nursing	Makindu	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	isthmus, intersittial,ampulla,fimbria	peritoneal adhesion	there is gradual or dramatyical onset of pain	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc20ea937cd40974ae1789
10	21-01-2023	Feb	Clinical Medicine and surgery	Thika	15	29.4%	Female	the zygote is implanted outside the uterus	tubal rupture	isthmus	isthmus	non of the above	ampulla,fimbria,isthmus, intersittial,	acute PID	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc20f2fc244c08bf4fdfcb
11	21-01-2023	Jose	Nurse	Samburu mtc	16	31.4%	Male	the zygote is implanted outside the uterus	tubal pregnancy	isthmus	isthmus	pueperals	ampulla,fimbria,isthmus, intersittial,	acute PID	the tube cannot hypertrofy with the growth of the fetus	sudden LAP	False	https://quizzory.in/answer- sheet/63cc20fde9f5e108b99c74bb
12	21-01-2023	Len	Nursing	None	15	29.4%	Female	the ovum is prematurely ejected in the peritoneal cavity	tubal pregnancy	cervix	isthmus	non of the above		peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc2108fc244c08bf4fdfcf
13	21-01-2023	Firdaus	Nursing	Mombasa	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	isthmus, intersittial,ampulla,fimbria	peritoneal adhesion	the ovum remain implanted	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc210cf135fc094e27289f
14	21-01-2023	Fartun aden	Nurse	Kmtc	20	39.2%	Female	the zygote is implanted outside the uterus	tubal ligation	ampulla	ampulla	pueperals	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc213337d44d091abb7748
15	21-01-2023	Sharony	Nrs	Nrs	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc213cf135fc094e2728a4

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
16	21-01-2023	Joanne maloi	Community health nursing	Voi	15	29.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ovary	PID	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	hypotension	True	https://quizzory.in/answer- sheet/63cc214caf1a54097d99c3ea
17	21-01-2023	Shee	Nursing	Ksm	20	39.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	isthmus	pueperals	fimbria,ampulla, isthmus, interstitial	congenital anatomical abnormality	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2156af1a54097d99c3ec
18	01-01-2023	Stacy chepkemoi	Nursing	Nairobi	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc216737d44d091abb7751
19	21-01-2023	Nicholas	Nurs	Msa	31	60.8%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	post abortal sepsis	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc217f937cd40974ae17f5
20	21-01-2023	Ruth	Nursing	Kitale	10	19.6%	Female	the zygote is implanted outside the uterus	tubal ligation	cervix	isthmus	gonorrhoea	fimbria,ampulla, isthmus, interstitial	endometriosis	the ovum can be ejected into the peritoneal cavity	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc219262474009483d3567
21	21-01-2023	Liloh	Cm	Machakos	25	49.0%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	gonorrhoea	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc21ace9f5e108b99c74d5
22	21-01-2023	Kipsang' Oliver	Clinical Medicine	Kabarnet	20	39.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	non of the above	isthmus, intersittial,ampulla,fimbria	endometriosis	the tube cannot hypertrofy with the growth of the fetus	sudden LAP	True	https://quizzory.in/answer- sheet/63cc21ad937cd40974ae1821
23	21-01-2023	Sharonie	Nrs	Sigowet	40	78.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc21d237d44d091abb775b

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
24	21-01-2023	Mutinda	Nursing	Makueni	31	60.8%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc21db95ed510920ca6c97
25	21-01-2023	Salma	nursing	Portreitz	45	88.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc2205f135fc094e2728d3
26	21-01-2023	BRIYAN DUDI	CLINICAL MEDICINE	GREAT LAKES UNIVERSITY OF KISUMU	31	60.8%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	ampulla,fimbria,isthmus, intersittial,	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	sudden LAP	True	https://quizzory.in/answer- sheet/63cc223937d44d091abb7843
27	21-01-2023	Colder	СМ	Mombasa	21	41.2%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	isthmus	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc224162474009483d357d
28	21-01-2023	Zamzam Ahamed	Clinical medicine and surgery	Isiolo	25	49.0%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ovary	gonorrhoea	isthmus, intersittial,ampulla,fimbria	peritoneal adhesion	the ovum remain implanted	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc2262937cd40974ae1837
29	21-01-2023	Veronicah Mutuku	Nursing	Makindu	20	39.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	cervix	PID	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc2262937cd40974ae1838
30	21-01-2023	Eva	Nursing	Kaplong	10	19.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	isthmus	gonorrhoea	intersittial,ampulla,fimbria,isthmus,	acute PID	the ovum can be ejected into the peritoneal cavity	hypotension	True	https://quizzory.in/answer- sheet/63cc2290f135fc094e272916
31	21-01-2023	Betty	Nursing	Mombasa	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	ampulla	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	No Answer	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc2291af1a54097d99c50d

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
32	21-01-2023	Joan jeptum	Registered nursing of mental health and phychiatry	Muranga campus	20	39.2%	Female	the zygote is implanted outside the uterus	tubal ligation	ampulla	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	acute PID	there is gradual or dramatyical onset of pain	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc22c6937cd40974ae1843
33	21-01-2023	Collins	NURS	ВМТ	31	60.8%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	isthmus	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc22c9f135fc094e272922
34	21-01-2023	Nm	Cm	Kr	36	70.6%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc22cdf135fc094e272923
35	21-01-2023	Okello	Nurse	Bondo	30	58.8%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	hypotension	False	https://quizzory.in/answer- sheet/63cc22ce95ed510920ca72da
36	21-01-2023	Mercy wafula	Clinical medicine	Webuye	15	29.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	isthmus	isthmus	pueperals	isthmus, intersittial,ampulla,fimbria	endometriosis	the ovum can be ejected into the peritoneal cavity	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc22d8fc244c08bf4fe252
37	21-01-2023	Lm	Cm	Kwl	21	41.2%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	gonorrhoea	intersittial,ampulla,fimbria,isthmus,	endometriosis	the ovum can be ejected into the peritoneal cavity	sudden LAP	False	https://quizzory.in/answer- sheet/63cc22e4f135fc094e272a44
38	21-01-2023	Obimbo	Cm	Kisii	30	58.8%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc22fdfc244c08bf4fe259
39	21-01-2023	Ghati	СМ	Kisii	30	58.8%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	isthmus	non of the above	ampulla,fimbria,isthmus, intersittial,	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc231c95ed510920ca72f3

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
40	21-01-2023	Silas	Krchn	Voi campus	21	41.2%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	pueperals	ampulla,fimbria,isthmus, intersittial,	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc232b62474009483d3592
41	21-01-2023	christinelinna@gmail.com	Nursing	Ti	11	21.6%	Male	the zygote is implanted outside the uterus	No Answer	cervix	No Answer	non of the above	No Answer	acute PID	No Answer	No Answer	True	https://quizzory.in/answer- sheet/63cc2332fc244c08bf4fe25f
42	21-01-2023	Deka Abdi Ibrahim	clinical medicine	Garissa	5	9.8%	Female	the zygote is implanted outside the uterus	No Answer	No Answer	No Answer	gonorrhoea	No Answer	No Answer	No Answer	No Answer	No Answer	https://quizzory.in/answer- sheet/63cc237efc244c08bf4fe26a
43	21-01-2023	Beane	Nursing	Bomet	20	39.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	isthmus	non of the above	intersittial,ampulla,fimbria,isthmus,	congenital anatomical abnormality	the ovum remain implanted	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc23a295ed510920ca72fe
44	21-01-2023	Oliver	Nurse	Kisumu	41	80.4%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	gonorrhoea	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	there is gradual or dramatyical onset of pain	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc240137d44d091abb78ef
45	21-01-2023	Morine	Nursing	Vihiga	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	ampulla	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2408fc244c08bf4fe2aa
46	21-01-2023	Wycliffe	Krchn	Nyamira	10	19.6%	Female	the blastocyst remains implanted in the endometrial wall	tubal pregnancy	cervix	ampulla	pueperals	intersittial,ampulla,fimbria,isthmus,	acute PID	there is gradual or dramatyical onset of pain	sudden LAP	True	https://quizzory.in/answer- sheet/63cc240c37d44d091abb78f2
47	21-01-2023	Mercy	Cm	Nyamira	30	58.8%	Female	the zygote is implanted outside the uterus	tubal rupture	isthmus	ampulla	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	there is gradual or dramatyical onset of pain	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc244895ed510920ca730f

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
48	21-01-2023	Marbhi	Cms	Isl	40	78.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc2471f135fc094e272a5e
49	21-01-2023	Carl	Clinical Medicine	КМТС	40	78.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc24d5937cd40974ae1a78
50	21-01-2023	Racheal	KRCHN	Lodwar	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	isthmus, intersittial,ampulla,fimbria	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc24d962474009483d36d0
51	21-01-2023	Amisha Ibrahim	clinical medicine	Garissa	25	49.0%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	gonorrhoea	No Answer	peritoneal adhesion	the ovum remain implanted	hypotension	True	https://quizzory.in/answer- sheet/63cc2506fc244c08bf4fe31f
52	21-01-2023	Lisa	Nursing	Kakamega	30	58.8%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	ampulla	gonorrhoea	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2527937cd40974ae1ef6
53	21-01-2023	Ben	Cm	Port reitz	26	51.0%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	post abortal sepsis	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc252962474009483d3789
54	21-01-2023	adow m	СМ	GARISSA	10	19.6%	Female	the zygote is implanted outside the uterus	tubal rupture	isthmus	isthmus	non of the above	isthmus, intersittial,ampulla,fimbria	acute PID	there is gradual or dramatyical onset of pain	hypotension	True	https://quizzory.in/answer- sheet/63cc25b4f135fc094e272a8f
55	21-01-2023	MACHO MICHAEL	KRCHN	BUNGOMA	46	90.2%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc25e1af1a54097d99c7c6

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
56	21-01-2023	Purity	Cm	Kisumu	30	58.8%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	gonorrhoea	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc268662474009483d38d5
57	21-01-2023	Marion	nursing	mombasa	20	39.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	isthmus	non of the above	ampulla,fimbria,isthmus, intersittial,	acute PID	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc26e6fc244c08bf4fe430
58	21-01-2023	Aderogba Daud Olalekan	MBBS	UDUS	6	11.8%	Male	the blastocyst remains implanted in the endometrial wall	tubal pregnancy	ampulla	isthmus	pueperals	isthmus, intersittial,ampulla,fimbria	congenital anatomical abnormality	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc271d95ed510920ca754c
59	21-01-2023	JANET KAMILI OUMA	CLINICAL MEDICINE	GREAT LAKES UNIVERSITY OF KISUMU	40	78.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	non of the above	isthmus, intersittial,ampulla,fimbria	peritoneal adhesion	the ovum remain implanted	vomiting and fainting	False	https://quizzory.in/answer- sheet/63cc276a37d44d091abb7b9e
60	21-01-2023	Kaufman	Clinical medicine	University of Nairobi	25	49.0%	Female	the ovum is prematurely ejected in the peritoneal cavity	tubal pregnancy	cervix	isthmus	gonorrhoea	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc27c2af1a54097d99c874
61	21-01-2023	EFFIONG EFFIONG	Public Health	NOUN, Kaduna, Nigeria	20	39.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	cervix	non of the above	ampulla,fimbria,isthmus, intersittial,	acute PID	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc27df62474009483d39b5
62	21-01-2023	Ng	СМ	К	46	90.2%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc280eaf1a54097d99c87e
63	21-01-2023	М	М	М	30	58.8%	Female	the zygote is implanted outside the uterus	tubal ligation	ovary	ampulla	non of the above	ampulla,fimbria,isthmus, intersittial,	acute PID	the ovum remain implanted	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc290495ed510920ca76d2

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
64	21-01-2023	Hussein	Nursing	Voi	21	41.2%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	gonorrhoea	fimbria,ampulla, isthmus, interstitial	endometriosis	the ovum can be ejected into the peritoneal cavity	fainting and	True	https://quizzory.in/answer- sheet/63cc294bfc244c08bf4fe680
65	21-01-2023	Godvin	Nursing	N/A	10	19.6%	Female	the ovum is prematurely ejected in the peritoneal cavity	tubal pregnancy	isthmus	isthmus	PID	fimbria,ampulla, isthmus, interstitial	acute PID	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2975937cd40974ae2078
66	21-01-2023	LN	nursing	Nairobi	21	41.2%	Male	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	endometriosis	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc29ce37d44d091abb7f3f
67	21-01-2023	Maryanne	Dcm	Completed	25	49.0%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	isthmus	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	there is gradual or dramatyical onset of pain	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2b13937cd40974ae20cd
68	21-01-2023	Perps	Nursing	Thika	25	49.0%	Female	the blastocyst remains implanted in the endometrial wall	tubal pregnancy	ovary	ampulla	pueperals	isthmus, intersittial,ampulla,fimbria	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity	hypotension	False	https://quizzory.in/answer- sheet/63cc2b23e9f5e108b99c82a2
69	21-01-2023	Chris	Cm	Ka	16	31.4%	Male	the placenta is developed next to the cervix os	tubal pregnancy	isthmus	ampulla	non of the above	intersittial,ampulla,fimbria,isthmus,	endometriosis	the tube cannot hypertrofy with the growth of the fetus	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2b3ce9f5e108b99c82a5
70	21-01-2023	Faith amollo	Health records	Thika	30	58.8%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	non of the above	ampulla,fimbria,isthmus, intersittial,	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	sudden LAP	False	https://quizzory.in/answer- sheet/63cc2b4d937cd40974ae2201
71	21-01-2023	Getty	Cm	Nakuru	30	58.8%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	non of the above	ampulla,fimbria,isthmus, intersittial,	peritoneal adhesion	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc2b98f135fc094e272c6c

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
72	21-01-2023	Frankline otieno omedo	Nursing	Bungoma	11	21.6%	Male	the ovum is prematurely ejected in the peritoneal cavity	tubal rupture	cervix	ampulla	gonorrhoea	isthmus, intersittial,ampulla,fimbria	acute PID	the ovum remain implanted	hypotension	True	https://quizzory.in/answer- sheet/63cc2bc8af1a54097d99cb74
73	21-01-2023	John kea	Clinical medicine and surgery	North coast medical training college	31	60.8%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ampulla	ampulla	non of the above	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2c7ef135fc094e272c8a
74	21-01-2023	Mike	СО	NYAMIRA	6	11.8%	Male	the zygote is implanted outside the uterus	tubal rupture	cervix	isthmus	PID	intersittial,ampulla,fimbria,isthmus,	acute PID	the ovum can be ejected into the peritoneal cavity	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2cbfaf1a54097d99cc8c
75	21-01-2023	Fedinard John	Clinical medicine	Nairobi campus	20	39.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	isthmus	ampulla	pueperals	isthmus, intersittial,ampulla,fimbria	acute PID	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2e1ee9f5e108b99c8495
76	21-01-2023	Winesy	М	М	26	51.0%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	gonorrhoea	isthmus, intersittial,ampulla,fimbria	endometriosis	the ovum can be ejected into the peritoneal cavity	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc2f40937cd40974ae24ca
77	21-01-2023	Julius m	clinical med	nyabondo	10	19.6%	Female	the placenta is developed next to the cervix os	tubal pregnancy	isthmus	ampulla	pueperals	isthmus, intersittial,ampulla,fimbria	acute PID	there is gradual or dramatyical onset of pain	sudden LAP	True	https://quizzory.in/answer- sheet/63cc2f54e9f5e108b99c863f
78	21-01-2023	cecy	Nursing	Eldy	25	49.0%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	isthmus	pueperals	intersittial,ampulla,fimbria,isthmus,	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc2fdbe9f5e108b99c8719
79	21-01-2023	Kk	Nursing	Kilifi	21	41.2%	Male	the zygote is implanted outside the uterus	tubal ligation	isthmus	ampulla	post abortal sepsis	intersittial,ampulla,fimbria,isthmus,	congenital anatomical abnormality	the ovum can be ejected into the peritoneal cavity	Amenorrhoeea	False	https://quizzory.in/answer- sheet/63cc3061af1a54097d99d037

S.NO	Submit Date	Name	COURSE	CAMPUS	Total Marks (51)	Result	1. GENDER	2. true about ectopic pregnancy	3. what is the name give to the ectopic pregnancy on one side of the falopian tube	4. least common sites for ectopic pregnancy	5. most common sites for ectopic pregnancy	6. which of the following is not a risk factor for tubal bliockage	7. correct arrangement of fallopian tubes parts	8. A cause of ectopic pregnancy which is secondary to surgery due to appendicitis	9. false about ectopic pregnancy	10. ectopic symptoms before the rupture includes	11. acute rapture is the common type of rupture in ectopic pregnancy	Answer Sheet Link
80	21-01-2023	Adams Kiprotich	Nursing	Mosoriot	35	68.6%	Female	the zygote is implanted outside the uterus	tubal pregnancy	cervix	ampulla	non of the above	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum can be ejected into the peritoneal cavity		False	https://quizzory.in/answer- sheet/63cc308b62474009483d3dcf
81	21-01-2023	Omar Adow	Clinical medicine	Garissa	15	29.4%	Female	the zygote is implanted outside the uterus	tubal pregnancy	isthmus	isthmus	non of the above	isthmus, intersittial,ampulla,fimbria	acute PID	there is gradual or dramatyical onset of pain	hypotension	True	https://quizzory.in/answer- sheet/63cc3169937cd40974ae28f1
82	21-01-2023	Emmy	Nursing	Lodwar	36	70.6%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum remain implanted	sudden LAP	True	https://quizzory.in/answer- sheet/63cc3281937cd40974ae29db
83	21-01-2023	J2	N	N/A	20	39.2%	Female	the zygote is implanted outside the uterus	tubal pregnancy	isthmus	ampulla	non of the above	intersittial,ampulla,fimbria,isthmus,	endometriosis	the tube cannot hypertrofy with the growth of the fetus	sudden LAP	True	https://quizzory.in/answer- sheet/63cc32edfc244c08bf4ff5ae
84	21-01-2023	Newton	Clinical medicine	Nairobi	16	31.4%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	cervix	post abortal sepsis	isthmus, intersittial,ampulla,fimbria	congenital anatomical abnormality	there is gradual or dramatyical onset of pain	vomiting and fainting	True	https://quizzory.in/answer- sheet/63cc339462474009483d3fee
85	21-01-2023	Francis	Clinical medicine	Kisumu	25	49.0%	Female	the zygote is implanted outside the uterus	tubal pregnancy	ovary	ampulla	pueperals	fimbria,ampulla, isthmus, interstitial	acute PID	the ovum can be ejected into the peritoneal cavity		True	https://quizzory.in/answer- sheet/63cc33e062474009483d412f
86	21-01-2023	James	Nursing	thika	36	70.6%	Male	the zygote is implanted outside the uterus	tubal pregnancy	ovary	isthmus	pueperals	fimbria,ampulla, isthmus, interstitial	peritoneal adhesion	the ovum remain implanted	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc3543f135fc094e272f94
87	21-01-2023	Safiyya	Nursing	Standard college	10	19.6%	Female	the zygote is implanted outside the uterus	tubal ligation	isthmus	cervix	pueperals	ampulla,fimbria,isthmus, intersittial,	acute PID	the tube cannot hypertrofy with the growth of the fetus	Amenorrhoeea	True	https://quizzory.in/answer- sheet/63cc35ee937cd40974ae2aa8

