

MATERNAL NEWBORN HEALTH 1

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
1	24-03-2022	Bernie	Nursing	Female	24	40.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	high socio-economic status	Family	amenorrhrea	Jacquemier's signs	20 to 22 weeks	24 weeks	good tone of uterine muscles	At 34 weeks head is quite small and far from the brim	estrogen	https://quizzory.in/answer-sheet/623c2a75719b2b4ac1fa90af
2	24-03-2022	Joyline	Mkd	F	30	50.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	quickening	osiander's sign	20 to 22 weeks	30 weeks	good tone of uterine muscles	Frequency of micturition currently	estrogen	https://quizzory.in/answer-sheet/623c2a9a558f154adb6aed7f
3	24-03-2022	Jay	N	F	54	90.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	Hegar's sign	Jacquemier's signs	11th to 12th week	30 weeks	good tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	progesterone	https://quizzory.in/answer-sheet/623c2ac4bed4db4a907a0350
4	24-03-2022	Frances	Nursing	F	30	50.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	high socio-economic status	obstretic/gynecological	Hegar's sign	hegar's sign	11th to 12th week	30 weeks	lower uterine segment is completely developed	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c2af6b00fc84a040c782f

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
5	24-03-2022	Lodwar MTC	Enrolled community health nurse	female	18	30.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	amenorrhea	Jacquemier's signs	14th week	24 weeks	lightening	C/o low backache due to widening of pelvis joints	estrogen	https://quizzory.in/answer-sheet/623c2b14c9e31149dc4ccd07
6	24-03-2022	Nelima	Nursing	F	30	50.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	Hegar's sign	hegar's sign	11th to 12th week	30 weeks	lightening	Frequency of micturition currently	estrogen	https://quizzory.in/answer-sheet/623c2b1942c4f74a226ea19d
7	24-03-2022	Gloria	Nursing	F	18	30.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	nutritional status	Family	quickening	Jacquemier's signs	30 weeks	24 weeks	good tone of uterine muscles	C/o low backache due to widening of pelvis joints	estrogen	https://quizzory.in/answer-sheet/623c2b1f719b2b4ac1fa928c
8	24-03-2022	Eliud- webuye cmps.	Nursing	M	18	30.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	high socio-economic status	Family	quickening	osiander's sign	11th to 12th week	24 weeks	poor tone of uterine muscles	At 34 weeks head is quite small and far from the brim	estrogen	https://quizzory.in/answer-sheet/623c2b24b00fc84a040c7832
9	24-03-2022	Kim	Nursing	Male	0	0%	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	https://quizzory.in/answer-sheet/623c2bd365650d4a293b97fa

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
10	24-03-2022	Mosoriot	CM	Female	6	10.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	early neonatal deaths	surgical	morning sicknes	Goodell's sign	30 weeks	20 weeks	lightening	C/o LAP	estrogen	https://quizzory.in/answer-sheet/623c2be5c9e31149dc4ccd2e
11	24-03-2022	kmtc makindu	nursing	male	30	50.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	Hegar's sign	hegar's sign	20 to 22 weeks	30 weeks	lightening	Frequency of micturition currently	progesterone	https://quizzory.in/answer-sheet/623c2bec9e31149dc4ccd31
12	24-03-2022	Nhr	Nurse	Male	24	40.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	No Answer	No Answer	No Answer	20 to 22 weeks	No Answer	good tone of uterine muscles	C/o LAP	No Answer	https://quizzory.in/answer-sheet/623c2c3ac9e31149dc4ccd38
13	24-03-2022	Kim	Nursing	Male	24	40.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	high socio-economic status	Family	amenorrhea	Goodell's sign	20 to 22 weeks	24 weeks	good tone of uterine muscles	C/o low backache due to widening of pelvis joints	progesterone	https://quizzory.in/answer-sheet/623c2cb1703e4949e278dad9
14	24-03-2022	Amanda/mknd	Nursing	F	24	40.0%	includes health promotion, prevention and management of any ore existing conditions	high socio-economic status	obstretic/gynecological	No Answer	Jacquemier's signs	30 weeks	22 weeks	good tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	progesterone	https://quizzory.in/answer-sheet/623c2d22bed4db4a907a03b2

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
15	24-03-2022	Lucy	Krchn	Female	36	60.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	Hegar's sign	Jacquemier's signs	20 to 22 weeks	24 weeks	poor tone of uterine muscles	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c2dc128951a4ab64e1dbe
16	24-03-2022	Celline	Nursing	F	42	70.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	Hegar's sign	Jacquemier's signs	14th week	30 weeks	good tone of uterine muscles	Frequency of micturition currently	progesterone	https://quizzory.in/answer-sheet/623c2e3458c4424a4dce5c6c
17	24-03-2022	Wanjis	Nursing	Female	48	80.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	quickening	Jacquemier's signs	11th to 12th week	30 weeks	good tone of uterine muscles	Frequency of micturition currently	progesterone	https://quizzory.in/answer-sheet/623c2eee719b2b4ac1fa93ef
18	24-03-2022	Eldy	Nursing	Female	0	0%	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	24 weeks	No Answer	H/o difficulty in breathing and digestion sometimes	No Answer	https://quizzory.in/answer-sheet/623c2f78bed4db4a907a04e4
19	24-03-2022	Anders Osborne	Nursing	Male	30	50.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	Hegar's sign	osiander's sign	20 to 22 weeks	30 weeks	good tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	estrogen	https://quizzory.in/answer-sheet/623c2f7c28951a4ab64e1eb9
20	24-03-2022	Royina	Nursing	Female	24	40.0%	includes health promotion, prevention and management of any ore existing conditions	high socio-economic status	obstretic/gynecological	Hegar's sign	osiander's sign	20 to 22 weeks	24 weeks	good tone of uterine muscles	Frequency of micturition currently	progesterone	https://quizzory.in/answer-sheet/623c2ff542c4f74a226ea31b

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
21	24-03-2022	Iten	Clinical medicine	Female	18	30.0%	only with regular cycle female are obligated to pre conception care	nutritional status	Family	quickening	osiander's sign	14th week	24 weeks	poor tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	progesterone	https://quizzory.in/answer-sheet/623c303542c4f74a226ea325
22	24-03-2022	Wayua	Kmtc port reitz	F	36	60.0%	only with regular cycle female are obligated to pre conception care	parity (primigravida, grand multiparity)	Family	Hegar's sign	hegar's sign	11th to 12th week	30 weeks	poor tone of uterine muscles	Frequency of micturition currently	progesterone	https://quizzory.in/answer-sheet/623c304d558f154adb6aef99
23	24-03-2022	Makindu	Nursing	Female	18	30.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	parity (primigravida, grand multiparity)	medical	frequency of micturition	Jacquemier's signs	20 to 22 weeks	30 weeks	lightening	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c3051bed4db4a907a05e3
24	24-03-2022	Patrick	Nursing	Male	24	40.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	quickening	hegar's sign	11th to 12th week	30 weeks	poor tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	estrogen	https://quizzory.in/answer-sheet/623c30c358c4424a4dce5fde
25	24-03-2022	Joram	KRCHN	M	24	40.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	amenorrhea	osiander's sign	14th week	30 weeks	lightening	At 34 weeks head is quite small and far from the brim	estrogen	https://quizzory.in/answer-sheet/623c3126b00fc84a040c7b05

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
26	24-03-2022	Ruth	Krchn	F	36	60.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	Hegar's sign	Jacquemier's signs	20 to 22 weeks	22 weeks	good tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	estrogen	https://quizzory.in/answer-sheet/623c32db20bba34a723d4a10
27	24-03-2022	Maary	Nursing	F	24	40.0%	includes health promotion, prevention and management of any ore existing conditions	age (16 years and below)	Family	Hegar's sign	osiander's sign	11th to 12th week	24 weeks	lightening	C/o LAP	estrogen	https://quizzory.in/answer-sheet/623c348f558f154adb6af2ce
28	24-03-2022	Weru	Nursing	F	30	50.0%	only with regular cycle female are obligated to pre conception care	still births	Family	quickening	hegar's sign	20 to 22 weeks	30 weeks	good tone of uterine muscles	C/o low backache due to widening of pelvis joints	progesterone	https://quizzory.in/answer-sheet/623c3538dadd6e4a96b88c30
29	24-03-2022	Alpha	Nursing	Female	36	60.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	quickening	Jacquemier's signs	11th to 12th week	24 weeks	good tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	estrogen	https://quizzory.in/answer-sheet/623c364428951a4ab64e249f
30	24-03-2022	Kaptumo	Orthopedic Trauma medicine	Male	30	50.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	Hegar's sign	hegar's sign	30 weeks	22 weeks	poor tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	progesterone	https://quizzory.in/answer-sheet/623c36fc719b2b4ac1fa96d2

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
31	24-03-2022	Nancy	Kitui	Female	36	60.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	high socio-economic status	Family	quickening	Jacquemier's signs	20 to 22 weeks	30 weeks	good tone of uterine muscles	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c3ba120bba34a723d4ee4
32	24-03-2022	Meru	Nursing	Male a	36	60.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	Hegar's sign	Jacquemier's signs	14th week	30 weeks	lightening	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c3d68aad08d4aeafb757
33	24-03-2022	Kky	Nursing	M	30	50.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	quickening	hegar's sign	20 to 22 weeks	24 weeks	good tone of uterine muscles	H/o difficulty in breathing and digestion sometimes	progesterone	https://quizzory.in/answer-sheet/623c3d7baad08d4aeafb759
34	24-03-2022	Brian Nakuru	Occupational therapy	Male	24	40.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	quickening	hegar's sign	20 to 22 weeks	24 weeks	good tone of uterine muscles	C/o low backache due to widening of pelvis joints	estrogen	https://quizzory.in/answer-sheet/623c40ae0319594a46339ee6
35	24-03-2022	Makindu	Nursing	M	18	30.0%	only with regular cycle female are obligated to pre conception care	parity (primigravida, grand multiparity)	Family	frequency of micturition	Jacquemier's signs	20 to 22 weeks	20 weeks	lightening	H/o difficulty in breathing and digestion sometimes	estrogen	https://quizzory.in/answer-sheet/623c416865650d4a293ba730

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
36	24-03-2022	Jully	Nursing	Female	24	40.0%	the target population for pre conception care is women of reproductive aga (15 to 49 years)	parity (primigravida, grand multiparity)	Family	Hegar's sign	Jacquemier's signs	20 to 22 weeks	20 weeks	good tone of uterine muscles	Frequency of micturition currently	estrogen	https://quizzory.in/answer-sheet/623c426458c4424a4dce67a5
37	24-03-2022	Koitalel	Community health	Male	18	30.0%	set of intervention that identify and modify biomedical, behavioral risks of a woman's health	high socio-economic status	medical	quickening	hegar's sign	20 to 22 weeks	30 weeks	lightening	Frequency of micturition currently	progesterone	https://quizzory.in/answer-sheet/623c4324558f154adb6afa02
38	24-03-2022	Peter	Krchn	Male	30	50.0%	only with regular cycle female are obligated to pre conception care	early neonatal deaths	Family	quickening	Jacquemier's signs	14th week	30 weeks	poor tone of uterine muscles	Frequency of micturition currently	progesterone	https://quizzory.in/answer-sheet/623c455220bba34a723d52e0
39	24-03-2022	Joy	Nursing	F	30	50.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	amenorrhea	hegar's sign	11th to 12th week	24 weeks	lightening	Frequency of micturition currently	progesterone	https://quizzory.in/answer-sheet/623c4688558f154adb6aff38
40	24-03-2022	James	C.o	male	24	40.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	quickening	hegar's sign	20 to 22 weeks	30 weeks	poor tone of uterine muscles	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c469fb00fc84a040c84b2

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
41	24-03-2022	Ronoh Kipkoech-Makindu	Orthopaedic	Male	48	80.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	Hegar's sign	Jacquemier's signs	14th week	30 weeks	good tone of uterine muscles	C/o low backache due to widening of pelvis joints	progesterone	https://quizzory.in/answer-sheet/623c49870319594a4633a82f
42	24-03-2022	Kisumu campus Doryne	Nursing	Female	42	70.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	obstretic/gynecological	quickening	osiander's sign	11th to 12th week	30 weeks	good tone of uterine muscles	C/o LAP	progesterone	https://quizzory.in/answer-sheet/623c49b1bed4db4a907a0fff
43	24-03-2022	Maori lodwar campus	Nursing	Male	24	40.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	medical	frequency of micturition	Goodell's sign	20 to 22 weeks	30 weeks	poor tone of uterine muscles	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c4b24558f154adb6b007b
44	24-03-2022	Sally kmtc makindu	KRCHN	Female	36	60.0%	only with regular cycle female are obligated to pre conception care	early neonatal deaths	Family	Hegar's sign	Jacquemier's signs	20 to 22 weeks	24 weeks	good tone of uterine muscles	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c50841e1b4b49fe2173be
45	24-03-2022	Kabarnet	Nursing	F	18	30.0%	set of intervention that identify and modify biomedical, behavioral risks of a woman's health	early neonatal deaths	obstretic/gynecological	frequency of micturition	hegar's sign	11th to 12th week	30 weeks	poor tone of uterine muscles	At 34 weeks head is quite small and far from the brim	progesterone	https://quizzory.in/answer-sheet/623c508faad08d4aeadf034

S.NO	Submit Date	Name & CAMPUS	Course	GENDER	Total Marks (60)	Result	1. false about pre conception care	2. reproductive health risk include the following except?	3. during comprehensive history in preconception care protocol, the hereditary conditions, medical condition and congenital abnormalities should be in which category of history	4. not included in presumptive/possible diagnostic features of pregnancy	5. which of the following is diagnostic features of pregnancy, indicated by blueing of the vagina	6. auscultation of fetal heart sounds by doppler starts from	7. at what weeks is the fundus palpable midway between umbilicus and xiphisternum	8. what causes engagement earlier in 38 weeks in primigravida unlike multipara	9. not an incation of correct gestation for late booking	10. which hormone is responsible of operculum formation	Answer Sheet Link
46	24-03-2022	Chepkoech Soi	Nursing	Female	48	80.0%	only with regular cycle female are obligated to pre conception care	high socio-economic status	Family	Hegar's sign	Jacquemier's signs	11th to 12th week	22 weeks	poor tone of uterine muscles	C/o LAP	progesterone	https://quizzory.in/answer-sheet/623c5279b00fc84a040c89d5
47	24-03-2022	Beatrice Nyabondo MTC	Diploma in KRCHN	Female	30	50.0%	includes health promotion, prevention and management of any ore existing conditions	recurrent spontaneous abortion	medical	Hegar's sign	Jacquemier's signs	11th to 12th week	30 weeks	good tone of uterine muscles	At 34 weeks head is quite small and far from the brim	estrogen	https://quizzory.in/answer-sheet/623c529d558f154adb6b0252