

MIDWIFERY E-MCQS

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
1	02-05-2022	Mawawa	Nursing and Thika	0710633562	31	53.4%	F	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	physical examination	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651479831719.jpg	https://quizzory.in/answer-sheet/626f951f7eb0016ad33099d3
2	02-05-2022	Perps	Thika.... nursing	0742534787	31	53.4%	F	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	non of the above	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Period a woman has been having their menses	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651479985849.jpg	https://quizzory.in/answer-sheet/626f95bf7cf5316af63c96ff
3	02-05-2022	G	G	U	18	31.0%	M	any fetus born between 28th - 37th weeks of gestation	if bones are separated and the sutures can be felt easily	laboratory investigation	quickening	only treating of major complication during pregnancy	provide prophylactic treatment against anemia and vaccination against tetanus	accessible	16-28 weeks	previously obstetric history	Pass	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480001026.jpg	https://quizzory.in/answer-sheet/626f95c6712cd06b82045f47
4	02-05-2022	Osman Abdikadir	Mosoriot	0726082274	30	51.7%	M	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	accurate pregnancy diagnosis	Draw an individual birth plan for the mother	safe	28-32 weeks	previously obstetric history	First menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480033739.jpg	https://quizzory.in/answer-sheet/626f9600a056e36ab0a730ba
5	02-05-2022	Vabue omwega	Kapenguria nursing	0757145838	30	51.7%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	accurate pregnancy diagnosis	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	First menstrual cycle	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480074305.jpg	https://quizzory.in/answer-sheet/626f9610a86a606b5bbe13ee
6	02-05-2022	Nelima	Nursing	Nursing	31	53.4%	F	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	quickening	non of the above	Draw an individual birth plan for the mother	timely	28-32 weeks	previously obstetric history	Is the beginning of menstruation in females	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651479993371.jpg	https://quizzory.in/answer-sheet/626f9637629f256b61d9190d

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
7	02-05-2022	Alpha	Gatundu	0700824327	37	63.8%	F	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	physical examination	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	28-32 weeks	previously obstetric history	First time a woman had her period	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480121627.jpg	https://quizzory.in/answer-sheet/626f964cfb7f576b1af297d7
8	02-05-2022	Sharony	S	0706464222	31	53.4%	F	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	history taking	quickening	only treating of major complication during pregnancy	provide prophylactic treatment against anemia and vaccination against tetanus	complex	28-32 weeks	previously obstetric history	Painful menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480128047.jpg	https://quizzory.in/answer-sheet/626f964f1a974c6b370e42db
9	02-05-2022	Bb	Makindu	0758576971	25	43.1%	F	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	oslander's sign	accurate pregnancy diagnosis	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	First menstrual cycle in female	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480326931.jpg	https://quizzory.in/answer-sheet/626f9711fb7f576b1af298fe
10	02-05-2022	Collins Ongero	Machakos	0710789308	36	62.1%	M	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	radiological tests(xrays-u/s)	leucorrhoea	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	28-32 weeks	gynecological hx	This is the menstrual period of the woman.	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480345731.jpg	https://quizzory.in/answer-sheet/626f971b25aeec6af048bba2
11	02-05-2022	Wilfred	Bomet-Nursing	0742001243	36	62.1%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	only treating of major complication during pregnancy	Ensure that the mother understand the benefits of antenatal care	complex	28-32 weeks	previously obstetric history	Pain during menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480415323.jpg	https://quizzory.in/answer-sheet/626f97681a974c6b370e4462
12	02-05-2022	Hassan	Mkd	0113954588	19	32.8%	F	any fetus born between 28th - 37th weeks of gestation	if the sutures overlap but not reducible	laboratory investigation	quickening	all of the above	Draw an individual birth plan for the mother	timely	28-32 weeks	present obstetric history	First menstrual period	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480496160.jpg	https://quizzory.in/answer-sheet/626f97b57eb0016ad3309df2

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
13	02-05-2022	Brian Kiprotich bett	Mku bsn nursing	0745699360	18	31.0%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	non of the above	Ensure that the mother understand the benefits of antenatal care	complex	16-28 weeks	gynecological hx	First menstrual flow in one's life	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480493731.jpg	https://quizzory.in/answer-sheet/626f97bf1a974c6b370e446e
14	02-05-2022	Rosemary onyanggo	Nursing	0720939669	25	43.1%	F	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	laboratory investigation	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	32-40 weeks	previously obstetric history	The start of period	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480514539.jpg	https://quizzory.in/answer-sheet/626f97ca02e67c6b8888dec6
15	02-05-2022	Kibet	makindu	0792491823	30	51.7%	M	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	accessible	28-32 weeks	previously obstetric history	The 1st menstrual cycle	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480627744.jpg	https://quizzory.in/answer-sheet/626f983c02e67c6b8888decd
16	02-05-2022	Fridah	nakuru	0745284380	31	53.4%	F	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	signs and symptoms	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	28-32 weeks	gynecological hx	First menstrual period for a lady to experience.	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480708933.jpg	https://quizzory.in/answer-sheet/626f988bb8c93c6b143b683f
17	02-05-2022	Wycliffe lokichu	Msambweni	0746432353	30	51.7%	M	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	signs and symptoms	quickening	all of the above	provide prophylactic treatment against anemia and vaccination against tetanus	complex	28-32 weeks	previously obstetric history	First menstrual cycle	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480859157.jpg	https://quizzory.in/answer-sheet/626f99318723736a8d5493a3
18	02-05-2022	Mrs kipkoech	Kabarnet	0796430455	25	43.1%	F	any fetus born between 28th - 37th weeks of gestation	if the sutures overlap but not reducible	history taking	quickening	accurate pregnancy diagnosis	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	The first monthly periods	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651480977981.jpg	https://quizzory.in/answer-sheet/626f999225aeec6af048bbc9

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
19	02-05-2022	Musa	Makindu	0786313114	30	51.7%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	accurate pregnancy diagnosis	Ensure that the mother understand the benefits of antenatal care	complex	28-32 weeks	previously obstetric history	First period a woman gets	No Answer	https://quizzory.in/answer-sheet/626f99f2712cd06b820462f1
20	02-05-2022	Jacinta Ngumbi	Makindu, community health nursing	0721315342	25	43.1%	F	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	non of the above	educate the mother on how to look after her baby	timely	28-32 weeks	previously obstetric history	First monthly period	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651481235597.jpg	https://quizzory.in/answer-sheet/626f9a9b8723736a8d5493f0
21	02-05-2022	Faith Jeruto Rotich	Lodwar campus	0769574569	43	74.1%	F	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	radiological tests(xrays-u/s)	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	32-40 weeks	previously obstetric history	It is the first menses	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651481308955.jpg	https://quizzory.in/answer-sheet/626f9b538723736a8d5493fc
22	02-05-2022	Julia	Eldy	0789443948	25	43.1%	F	any fetus born between 13 to 28 weeks of gestation	if bones are separated and the sutures can be felt easily	history taking	quickening	non of the above	Ensure that the mother understand the benefits of antenatal care	complex	28-32 weeks	previously obstetric history	Painful period	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651482124562.jpg	https://quizzory.in/answer-sheet/626f9e18fb7f576b1af29e3d
23	02-05-2022	Brian	Nurs	0796260975	30	51.7%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	quickening	non of the above	Draw an individual birth plan for the mother	complex	32-40 weeks	previously obstetric history	Menarche symbolizes the onset of sexual maturity and is characterized by the onset of the first mens	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651482196854.jpg	https://quizzory.in/answer-sheet/626f9e79a056e36ab0a735df
24	02-05-2022	Joy	Kapee	0707097466	25	43.1%	F	any fetus born between 13 to 28 weeks of gestation	if bones are separated and the sutures can be felt easily	history taking	quickening	all of the above	prepare the mother psychologically and physically for delivery	complex	28-32 weeks	previously obstetric history	It is the time one receive menstruation for the first time	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651482603911.jpg	https://quizzory.in/answer-sheet/626f9ff16aa11b6aa938f4a0

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
25	02-05-2022	Mworiah	Garisa	0723417445	24	41.4%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	physical examination	quickening	non of the above	educate the mother on how to look after her baby	accessible	28-32 weeks	previously obstetric history	What age menses first started in woman's life.	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651483633189.mp4	https://quizzory.in/answer-sheet/626fa3fa629f256b61d91c67
26	02-05-2022	Geoffrey Munyao	Makindu Campus KRCHN	0798191172	36	62.1%	M	any fetus born between 28th - 37th weeks of gestation	if the sutures overlap but not reducible	physical examination	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	28-32 weeks	previously obstetric history	This is the first Occurrence of Menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651484549192.jpg	https://quizzory.in/answer-sheet/626fa806629f256b61d91ca2
27	02-05-2022	Eddie	Krchn	0701958934	48	82.8%	M	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	radiological tests(xrays-u/s)	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	28-32 weeks	previously obstetric history	First menstrual flow	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651484979106.jpg	https://quizzory.in/answer-sheet/626fa940712cd06b820465ea
28	02-05-2022	James	Kmtc	0727365265	42	72.4%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	28-32 weeks	previously obstetric history	Pain Menastradition	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651485013031.jpg	https://quizzory.in/answer-sheet/626fa97e1a974c6b370e4d3e
29	02-05-2022	Kipkoech	Kmtc	0724274858	36	62.1%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	radiological tests(xrays-u/s)	quickening	non of the above	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Onset of menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651485679351.png	https://quizzory.in/answer-sheet/626fabf702e67c6b8888e62c
30	02-05-2022	Janette	Siaya	0715956923	31	53.4%	F	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	laboratory investigation	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	timely	28-32 weeks	previously obstetric history	The very first menses in a woman's life	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651486190864.jpg	https://quizzory.in/answer-sheet/626fae29fa04146a876c045f

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
31	02-05-2022	Purity	Kisumu	0739308875	31	53.4%	F	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	radiological tests(xrays-u/s)	quickening	all of the above	educate the mother on how to look after her baby	complex	32-40 weeks	previously obstetric history	It is the first day where menstruation period started in a girls life	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651486797715.jpg	https://quizzory.in/answer-sheet/626fb05a1a974c6b370e4f25
32	02-05-2022	Nancy	Nakuru	0736420070	31	53.4%	F	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	all of the above	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Starting menstruate periods	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651487310761.jpg	https://quizzory.in/answer-sheet/626fb25d8a13dd6b3d4d79cf
33	02-05-2022	Martha	Nursing	0759386776	31	53.4%	F	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	quickening	all of the above	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Period when one starts menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651489295683.jpg	https://quizzory.in/answer-sheet/626fba16fa04146a876c0647
34	02-05-2022	Peter	Nursing	0706905540	30	51.7%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	radiological tests(xrays-u/s)	leucorrhoea	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	28-32 weeks	gynecological hx	First menstrual bleeding	No Answer	https://quizzory.in/answer-sheet/626fbb57da70dc6accab6592
35	02-05-2022	Diana Odongo	Nursing	0725956212	37	63.8%	F	any fetus born between 28th - 37th weeks of gestation	if the sutures overlap but not reducible	history taking	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	28-32 weeks	previously obstetric history	Onset of menses	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651489635097.jpg	https://quizzory.in/answer-sheet/626fbb6fa86a606b5bbe2179
36	02-05-2022	Robert	bomet	0725223736	13	22.4%	F	any fetus born between 28th - 37th weeks of gestation	if the sutures overlap but not reducible	history taking	quickening	all of the above	educate the mother on how to look after her baby	complex	32-40 weeks	gynecological hx	menarche is when the lady start ovulation at 12 years old.	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651492139512.jpg	https://quizzory.in/answer-sheet/626fc531a056e36ab0a74236

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
37	02-05-2022	Hosea Mokuu Anyong'a	Kapkatet	0111869257	12	20.7%	M	live born individuals from birth until completion of one year	if bones are separated and the sutures can be felt easily	history taking	Amenorrhea	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	timely	16-28 weeks	gynecological hx	First occurrence of menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651492908295.jpg	https://quizzory.in/answer-sheet/626fc8377eb0016ad330a903
38	02-05-2022	Sammy kimote	Makindu, campus,nursing	0758903392	24	41.4%	M	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	radiological tests(xrays-u/s)	quickening	non of the above	educate the mother on how to look after her baby	complex	28-32 weeks	gynecological hx	Start of menstruation periods	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651492949073.jpg	https://quizzory.in/answer-sheet/626fc85c6aa11b6aa9390424
39	02-05-2022	Sharon	Nyeri campus	0728593131	31	53.4%	F	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	laboratory investigation	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Onset of menstruations	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651493194166.jpg	https://quizzory.in/answer-sheet/626fc969a056e36ab0a743c7
40	02-05-2022	Labile Pogba	Nursing iten	0715 942377	30	51.7%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	signs and symptoms	quickening	all of the above	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651493375286.jpg	https://quizzory.in/answer-sheet/626fca128a13dd6b3d4d7ff0
41	02-05-2022	Elisha Muga	Ksm krchn	0790861324	30	51.7%	M	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	28-32 weeks	gynecological hx	refers to first menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651493947371.jpg	https://quizzory.in/answer-sheet/626fcc441a974c6b370e553d
42	02-05-2022	Resiba kadiara	Kendu Adventist hospital school of medical science	0758519453	31	53.4%	F	any fetus born between 13 to 28 weeks of gestation	if bones are separated and the sutures can be felt easily	history taking	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	First menses	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651494842171.jpg	https://quizzory.in/answer-sheet/626fcfc0fa04146a876c0b7c

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
43	02-05-2022	Vinic	Bomet ECHN	718654689	25	43.1%	F	any fetus born between 13 to 28 weeks of gestation	if bones are separated and the sutures can be felt easily	laboratory investigation	quickening	all of the above	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Is the period on which the internal reproductive organs reached its maturity and can give birth	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651495352428.jpg	https://quizzory.in/answer-sheet/626fd1be7cf5316af63caf24
44	02-05-2022	Finnie	Kendu	0701428416	30	51.7%	M	any fetus born between 28th - 37th weeks of gestation	if bones are separated and the sutures can be felt easily	physical examination	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	This is the discharge from the vagina during the 1st stage of labor.	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651495824973.jpg	https://quizzory.in/answer-sheet/626fd39dfa04146a876c0c6a
45	02-05-2022	Wilfred	Siaya	0702241510	18	31.0%	M	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	leucorrhoea	all of the above	prepare the mother psychologically and physically for delivery	complex	28-32 weeks	present obstetric history	Menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651495879004.jpg	https://quizzory.in/answer-sheet/626fd3c87cf5316af63cfa2
46	02-05-2022	Elly	Nyeri	2345	24	41.4%	M	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	history taking	quickening	non of the above	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	Age when Lady experiences her first menstruation perio	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651496317412.jpg	https://quizzory.in/answer-sheet/626fd5846aa11b6aa939064b
47	02-05-2022	Garu	Voi	0721366642	19	32.8%	F	any fetus born between 13 to 28 weeks of gestation	if there is overlapping of sutures bit it is reducible	history taking	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	friendly	32-40 weeks	present obstetric history	When women experience her fast menstrual at the age of poverty	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651496360709.jpg	https://quizzory.in/answer-sheet/626fd5ada86a606b5bbe2704

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
48	02-05-2022	Stacy	Sigowet	254	37	63.8%	F	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	28-32 weeks	present obstetric history	It's menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651498266933.jpg	https://quizzory.in/answer-sheet/626fdd2002e67c6b8888f1a4
49	02-05-2022	Riz	Thika	0748218962	31	53.4%	F	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	all of the above	Draw an individual birth plan for the mother	friendly	28-32 weeks	previously obstetric history	The start of menstruation	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651499773812.jpg	https://quizzory.in/answer-sheet/626fe306fa04146a876c0ec6
50	02-05-2022	Sr. Florence	Mwea	0741452508	25	43.1%	F	any fetus born between 28th - 37th weeks of gestation	if the sutures overlap but not reducible	history taking	quickening	all of the above	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	first menstration	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651500988955.jpg	https://quizzory.in/answer-sheet/626fe7c225aeec6af048cfc4
51	02-05-2022	Bashir	Kapkatet	0706373538	0	0%	M	any fetus born between 13 to 28 weeks of gestation	if sutures are opposed but no overlap	history taking	Amenorrhea	regular blood pressure check	provide prophylactic treatment against anemia and vaccination against tetanus	safe	14-30 weeks	gynecological hx	Deseases	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651501494849.jpg	https://quizzory.in/answer-sheet/626fea2ea056e36ab0a7505c
52	02-05-2022	Caxton	Gatundu	0112443595	30	51.7%	M	any fetus born between 13 to 28 weeks of gestation	if sutures are opposed but no overlap	laboratory investigation	quickening	non of the above	Draw an individual birth plan for the mother	complex	28-32 weeks	previously obstetric history	First menstrual cycle	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651508192043.jpg	https://quizzory.in/answer-sheet/627003e625aeec6af048dc89
53	02-05-2022	Gladys	Kisii	0716436437	19	32.8%	F	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	history taking	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	safe	16-28 weeks	previously obstetric history	It is the secondary characteristic in female when the ovary starts to release mature ovum in every m	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651510324020.jpg	https://quizzory.in/answer-sheet/62700c4e7eb0016ad330bcef

S.NO	Submit Date	Name	Campus and course	phone Number	Total Marks (58)	Result	1. GENDER	2. preterm infant	3. the ++ grade of molding means	4. among the following is the most important when diagnosing pregnancy	5. is a feeling of life within the uterus and occurs at about 16 week's gestation. This can also be caused by intestinal movement.	6. not amongst the quality of antenatal care	7. during the antenatal clinic visits, the midwife should EXCEPT	8. Focused antenatal care should not be	9. when is the third visit for FANC scheduled	10. Number of previous pregnancies is obtained in	11. what's menarche?	12. upload Your official photo, to be used on the medial Students Arena website, when you happen to lead in this exams .	Answer Sheet Link
54	02-05-2022	Shaban	Msambweni	9701822919	18	31.0%	M	any fetus born between 13 to 28 weeks of gestation	if the sutures overlap but not reducible	laboratory investigation	quickening	all of the above	educate the mother on how to look after her baby	complex	32-40 weeks	previously obstetric history	The first menstrual blood	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651510385663.jpg	https://quizzory.in/answer-sheet/62700c7bda70dc6accab7e8f
55	02-05-2022	Aziz	Makueni nursing	0745653484	37	63.8%	F	any fetus born between 13 to 28 weeks of gestation	if bones are separated and the sutures can be felt easily	history taking	quickening	only treating of major complication during pregnancy	Draw an individual birth plan for the mother	complex	28-32 weeks	previously obstetric history	The onset monthly period that is regular	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651510947289.jpg	https://quizzory.in/answer-sheet/62700eb3a056e36ab0a75b6e
56	02-05-2022	Enock Ngeno	Krchn	0712783782	36	62.1%	M	any fetus born between 28th - 37th weeks of gestation	if there is overlapping of sutures bit it is reducible	laboratory investigation	quickening	only treating of major complication during pregnancy	educate the mother on how to look after her baby	complex	28-32 weeks	previously obstetric history	First menstrual	https://surveyheartmedia.s3.ap-south-1.amazonaws.com/files/4d47c98d76da80790aae6b40c66ab9/626f929b6aa11b6aa938eade/sh_1651511279968.jpg	https://quizzory.in/answer-sheet/62700ff8fb7f576b1af2ca5a