

MIDWIFERY MCQS

S.NO	Submit Date	Name	course	campus	Total Marks (56)	Result	1. GENDER	2. A 39-year-old at 37 weeks gestation is admitted to the hospital with complaints of vaginal bleeding following the use of cocaine 1 hour earlier. Which complication is most likely causing the client's complaint of vaginal bleeding	3. A client with type 1 diabetes mellitus who is a multigravida visits the clinic at 27 weeks gestation. The nurse should instruct the client that for most pregnant women with type 1 diabetes mellitus:	4. When administering magnesium sulfate to a client with preeclampsia, the nurse understands that this drug is given to:	5. What is the approximate time that the blastocyst spends traveling to the uterus for implantation?	6. After teaching a pregnant woman who is in labor about the purpose of the episiotomy, which of the following purposes stated by the client would indicate to the nurse that the teaching was effective?	7. A primigravida client at about 35 weeks gestation in active labor has had no prenatal care and admitted to cocaine use during the pregnancy. Which of the following persons must the nurse notify?	8. When preparing a teaching plan for a client who is to receive a rubella vaccine during the postpartum period, the nurse in charge should include which of the following?	9. A client with eclampsia begins to experience a seizure. Which of the following would the nurse in charge do first?	10. While caring for a multigravida client in early labor in a birthing center, which of the following foods would be best if the client requests a snack?	11. The multigravida mother with a history of rapid labor who is in active labor calls out to the nurse, "The baby is coming!" Which of the following would be the nurse's first action?	Answer Sheet Link
1	16-05-2022	Doryne sungu	Nursing	Lake Victoria	25	44.6%	F	B. Abruptio placentae	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	B. 7 days	B. Enlarges the pelvic inlet.	A. Nursing unit manager so appropriate agencies can be notified.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	B. Cereal with milk	D. Contact the birth attendant.	https://quizzory.in/answer-sheet/6282328f7eb0016ad33703f0
2	16-05-2022	Zara Hassan	Nursing	Isiolo	25	44.6%	F	B. Abruptio placentae	A. Weekly fetal movement counts are made by the mother.	A. Prevent seizures.	C. 10 days	A. Shortens the second stage of labor.	A. Nursing unit manager so appropriate agencies can be notified.	C. The client should avoid contact with children diagnosed with rubella.	A. Pad the side rails.	A. Yogurt	D. Contact the birth attendant.	https://quizzory.in/answer-sheet/628235656aa11b6aa93f4628
3	16-05-2022	Lemein	nursing	Lodwar	32	57.1%	F	B. Abruptio placentae	D. Nonstress testing is performed weekly until 32 weeks' gestation.	D. Increase diuresis.	B. 7 days	B. Enlarges the pelvic inlet.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	C. Vegetable soup	A. Inspect the perineum.	https://quizzory.in/answer-sheet/628235907cf5316af642f4c2

4	16-05-2022	Essie	Nursing	Voi	26	46.4%	F	A. Placenta previa	A. Weekly fetal movement counts are made by the mother.	B. Reduce blood pressure.	B. 7 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/628236cefb7f576b1af8ed4b
5	16-05-2022	Ngina	Nursing	Kmtc voi	19	33.9%	F	D. Spontaneous abortion	B. Contraction stress testing is performed weekly.	B. Reduce blood pressure.	A. 2 days	B. Enlarges the pelvic inlet.	A. Nursing unit manager so appropriate agencies can be notified.	B. Pregnancy should be avoided for 3 months after the immunization.	D. Maintain a patent airway.	A. Yogurt	D. Contact the birth attendant.	https://quizzory.in/answer-sheet/62823719629f256b61df53f8
6	16-05-2022	Eddie	Krchn	Mkm	24	42.9%	M	D. Spontaneous abortion	B. Contraction stress testing is performed weekly.	B. Reduce blood pressure.	A. 2 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	B. Pregnancy should be avoided for 3 months after the immunization.	D. Maintain a patent airway.	C. Vegetable soup	B. Time the contractions.	https://quizzory.in/answer-sheet/628237317eb0016ad3370559
7	16-05-2022	Riz	Nursing	Thika	26	46.4%	F	D. Spontaneous abortion	C. Induction of labor begins at 34 weeks' gestation	B. Reduce blood pressure.	B. 7 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/628238478723736a8d5ae2a5
8	16-05-2022	Nelima	Nursing	Sigowet	14	25.0%	F	A. Placenta previa	A. Weekly fetal movement counts are made by the mother.	B. Reduce blood pressure.	C. 10 days	A. Shortens the second stage of labor.	A. Nursing unit manager so appropriate agencies can be notified.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	C. Vegetable soup	A. Inspect the perineum.	https://quizzory.in/answer-sheet/628238ee8723736a8d5ae38a
9	16-05-2022	Wayua	Nursing	Kmtc port reitz	8	14.3%	F	B. Abruptio placentae	B. Contraction stress testing is performed weekly.	B. Reduce blood pressure.	A. 2 days	B. Enlarges the pelvic inlet.	A. Nursing unit manager so appropriate agencies can be notified.	D. The injection will provide immunity against the 7-day measles.	C. Insert a padded tongue blade into the mouth.	C. Vegetable soup	A. Inspect the perineum.	https://quizzory.in/answer-sheet/6282393502e67c6b888f6261
10	16-05-2022	Sr. Florence	krchn	kerugoya	25	44.6%	F	D. Spontaneous abortion	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	B. 7 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	A. Pad the side rails.	C. Vegetable soup	C. Auscultate the fetal heart rate.	https://quizzory.in/answer-sheet/6282394025aeec6af04f1c30

11	16-05-2022	Becky	Nursing	Bomet	19	33.9%	M	B. Abruptio placentae	C. Induction of labor begins at 34 weeks' gestation	B. Reduce blood pressure.	A. 2 days	A. Shortens the second stage of labor.	A. Nursing unit manager so appropriate agencies can be notified.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	D. Peanut butter cookies	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823a91fb7f576b1af8ee94
12	16-05-2022	Jemuu	Nursing	Kitui	14	25.0%	F	A. Placenta previa	B. Contraction stress testing is performed weekly.	B. Reduce blood pressure.	B. 7 days	A. Shortens the second stage of labor.	C. Chaplain in case the fetus dies in utero.	D. The injection will provide immunity against the 7-day measles.	C. Insert a padded tongue blade into the mouth.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823bfa7eb0016ad3370688
13	16-05-2022	SM	KRCHN	Makindu	25	44.6%	M	B. Abruptio placentae	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	A. 2 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	A. Pad the side rails.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823d6a02e67c6b888f62ee
14	16-05-2022	Susan	Nursing	Mrng	26	46.4%	F	B. Abruptio placentae	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	B. 7 days	B. Enlarges the pelvic inlet.	D. Physician who will attend the delivery of the infant.	D. The injection will provide immunity against the 7-day measles.	A. Pad the side rails.	C. Vegetable soup	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823e378a13dd6b3d539aea
15	16-05-2022	Wycliffe lokichu	D/nurse	Msambweni	19	33.9%	M	A. Placenta previa	D. Nonstress testing is performed weekly until 32 weeks' gestation.	B. Reduce blood pressure.	A. 2 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	D. The injection will provide immunity against the 7-day measles.	B. Place a pillow under the left buttock.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823e9c1a974c6b37143021
16	16-05-2022	Grace Wairimu Maina	Nursing	Nyahururu	25	44.6%	M	A. Placenta previa	C. Induction of labor begins at 34 weeks' gestation	B. Reduce blood pressure.	C. 10 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	A. Yogurt	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823f0f7eb0016ad33707a0
17	16-05-2022	Grace	Nursing	Gatundu	14	25.0%	F	D. Spontaneous abortion	B. Contraction stress testing is performed weekly.	A. Prevent seizures.	D. 14 weeks	C. Prevents perineal edema.	B. Head of the hospital's security department.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823f2a8a13dd6b3d539b07

18	16-05-2022	Catherine Nanjala	Nursing	Webuye	19	33.9%	F	C. Ectopic pregnancy	B. Contraction stress testing is performed weekly.	B. Reduce blood pressure.	D. 14 weeks	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	B. Pregnancy should be avoided for 3 months after the immunization.	C. Insert a padded tongue blade into the mouth.	C. Vegetable soup	B. Time the contractions.	https://quizzory.in/answer-sheet/62823f3c629f256b61df5502
19	16-05-2022	Lucy	Krchn	0701858338	32	57.1%	F	D. Spontaneous abortion	D. Nonstress testing is performed weekly until 32 weeks' gestation.	A. Prevent seizures.	D. 14 weeks	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823f3efb7f576b1af8ef9a
20	16-05-2022	Emanuel	Nursing	Nyahururu	37	66.1%	M	D. Spontaneous abortion	A. Weekly fetal movement counts are made by the mother.	A. Prevent seizures.	C. 10 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	B. Pregnancy should be avoided for 3 months after the immunization.	D. Maintain a patent airway.	A. Yogurt	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62823fe18723736a8d5ae634
21	16-05-2022	Silas	Nursing	Makueni	36	64.3%	M	A. Placenta previa	A. Weekly fetal movement counts are made by the mother.	A. Prevent seizures.	B. 7 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	A. Yogurt	C. Auscultate the fetal heart rate.	https://quizzory.in/answer-sheet/628242838723736a8d5ae667
22	16-05-2022	Bradox otieno	KRCHN	Siaya KMTc	26	46.4%	F	A. Placenta previa	A. Weekly fetal movement counts are made by the mother.	A. Prevent seizures.	A. 2 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	C. The client should avoid contact with children diagnosed with rubella.	D. Maintain a patent airway.	C. Vegetable soup	A. Inspect the perineum.	https://quizzory.in/answer-sheet/628242d28a13dd6b3d539bd0
23	16-05-2022	Janette	Nursing	Siaya	32	57.1%	F	D. Spontaneous abortion	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	B. 7 days	A. Shortens the second stage of labor.	C. Chaplain in case the fetus dies in utero.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	A. Yogurt	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62824318fb7f576b1af8f07d
24	16-05-2022	Maori	Nursing	Lodwar	25	44.6%	M	D. Spontaneous abortion	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	A. 2 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	D. Peanut butter cookies	A. Inspect the perineum.	https://quizzory.in/answer-sheet/6282431a7cf5316af642f96b

25	16-05-2022	Sheilla	Nursing	Lodwar	25	44.6%	F	D. Spontaneous abortion	D. Nonstress testing is performed weekly until 32 weeks' gestation.	B. Reduce blood pressure.	A. 2 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	B. Cereal with milk	C. Auscultate the fetal heart rate.	https://quizzory.in/answer-sheet/628248277cf5316af642fac6
26	16-05-2022	Wrld	Nursing	Bomet	30	53.6%	M	B. Abruptio placentae	A. Weekly fetal movement counts are made by the mother.	B. Reduce blood pressure.	B. 7 days	B. Enlarges the pelvic inlet.	A. Nursing unit manager so appropriate agencies can be notified.	B. Pregnancy should be avoided for 3 months after the immunization.	D. Maintain a patent airway.	A. Yogurt	B. Time the contractions.	https://quizzory.in/answer-sheet/62824a65da70dc6accb1eaea
27	16-05-2022	Kipkemoi Philip	Nursing	Lodwar	6	10.7%	M	A. Placenta previa	A. Weekly fetal movement counts are made by the mother.	B. Reduce blood pressure.	A. 2 days	D. Ensures quick placenta delivery.	A. Nursing unit manager so appropriate agencies can be notified.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	D. Peanut butter cookies	B. Time the contractions.	https://quizzory.in/answer-sheet/62824a87fa04146a87724e61
28	16-05-2022	Judy mose	KCHN	Bomet	25	44.6%	F	B. Abruptio placentae	D. Nonstress testing is performed weekly until 32 weeks' gestation.	B. Reduce blood pressure.	A. 2 days	B. Enlarges the pelvic inlet.	A. Nursing unit manager so appropriate agencies can be notified.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	A. Yogurt	C. Auscultate the fetal heart rate.	https://quizzory.in/answer-sheet/62824c43fa04146a87725083
29	16-05-2022	GLADYS ORANGO	KRCHN	BOMET KMTC	31	55.4%	F	D. Spontaneous abortion	D. Nonstress testing is performed weekly until 32 weeks' gestation.	B. Reduce blood pressure.	B. 7 days	B. Enlarges the pelvic inlet.	D. Physician who will attend the delivery of the infant.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	A. Yogurt	C. Auscultate the fetal heart rate.	https://quizzory.in/answer-sheet/62824f1cb8c93c6b1441ea64
30	16-05-2022	Gitau	Nursing	Kmtc	12	21.4%	M	D. Spontaneous abortion	B. Contraction stress testing is performed weekly.	A. Prevent seizures.	C. 10 days	B. Enlarges the pelvic inlet.	A. Nursing unit manager so appropriate agencies can be notified.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	B. Cereal with milk	D. Contact the birth attendant.	https://quizzory.in/answer-sheet/62824f336aa11b6aa93f4b25
31	16-05-2022	Mary	Clinical medicine	KMTC	25	44.6%	F	B. Abruptio placentae	C. Induction of labor begins at 34 weeks' gestation	B. Reduce blood pressure.	B. 7 days	C. Prevents perineal edema.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	C. Vegetable soup	C. Auscultate the fetal heart rate.	https://quizzory.in/answer-sheet/628252e4fb7f576b1af8fa90

32	16-05-2022	Elly	nursing	Bungoma	24	42.9%	M	B. Abruptio placentae	B. Contraction stress testing is performed weekly.	A. Prevent seizures.	D. 14 weeks	A. Shortens the second stage of labor.	B. Head of the hospital's security department.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	C. Vegetable soup	B. Time the contractions.	https://quizzory.in/answer-sheet/6282530c7eb0016ad3370d36
33	16-05-2022	Brian	NURs	Siaya	31	55.4%	M	A. Placenta previa	A. Weekly fetal movement counts are made by the mother.	A. Prevent seizures.	A. 2 days	A. Shortens the second stage of labor.	C. Chaplain in case the fetus dies in utero.	B. Pregnancy should be avoided for 3 months after the immunization.	D. Maintain a patent airway.	A. Yogurt	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62825ce11a974c6b37143f26
34	16-05-2022	Kemboi	Nursing	Iten	37	66.1%	M	B. Abruptio placentae	A. Weekly fetal movement counts are made by the mother.	B. Reduce blood pressure.	B. 7 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	B. Pregnancy should be avoided for 3 months after the immunization.	D. Maintain a patent airway.	C. Vegetable soup	A. Inspect the perineum.	https://quizzory.in/answer-sheet/628263d06aa11b6aa93f5b3f
35	16-05-2022	RKM	Cm	Kmtc	26	46.4%	F	B. Abruptio placentae	C. Induction of labor begins at 34 weeks' gestation	B. Reduce blood pressure.	B. 7 days	C. Prevents perineal edema.	D. Physician who will attend the delivery of the infant.	B. Pregnancy should be avoided for 3 months after the immunization.	B. Place a pillow under the left buttock.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62826be87cf5316af6431485
36	16-05-2022	Emmy	Nursing	Nakuru	13	23.2%	F	A. Placenta previa	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	A. 2 days	D. Ensures quick placenta delivery.	A. Nursing unit manager so appropriate agencies can be notified.	D. The injection will provide immunity against the 7-day measles.	D. Maintain a patent airway.	B. Cereal with milk	B. Time the contractions.	https://quizzory.in/answer-sheet/62826daa02e67c6b888f79e2
37	16-05-2022	Michelle Zawadi	Nursing	Bungoma	8	14.3%	F	C. Ectopic pregnancy	C. Induction of labor begins at 34 weeks' gestation	C. Slow the process of labor.	B. 7 days	C. Prevents perineal edema.	A. Nursing unit manager so appropriate agencies can be notified.	A. The vaccine prevents a future fetus from developing congenital anomalies	A. Pad the side rails.	C. Vegetable soup	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62826f938a13dd6b3d53b49d
38	16-05-2022	Vivian	Nurs	MTC	26	46.4%	F	B. Abruptio placentae	D. Nonstress testing is performed weekly until 32 weeks' gestation.	A. Prevent seizures.	A. 2 days	B. Enlarges the pelvic inlet.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	C. Insert a padded tongue blade into the mouth.	B. Cereal with milk	A. Inspect the perineum.	https://quizzory.in/answer-sheet/628276c86aa11b6aa93f74dc

39	16-05-2022	JEVY CHEBET SANG	DIPLOMA IN COMMUNITY HEALTH NURSING	BOMET KMTC	25	44.6%	F	D. Spontaneous abortion	C. Induction of labor begins at 34 weeks' gestation	B. Reduce blood pressure.	B. 7 days	B. Enlarges the pelvic inlet.	D. Physician who will attend the delivery of the infant.	B. Pregnancy should be avoided for 3 months after the immunization.	D. Maintain a patent airway.	C. Vegetable soup	D. Contact the birth attendant.	https://quizzory.in/answer-sheet/628279be1a974c6b37145919
40	16-05-2022	Robert	nursing	bomet	25	44.6%	F	B. Abruptio placentae	B. Contraction stress testing is performed weekly.	A. Prevent seizures.	D. 14 weeks	C. Prevents perineal edema.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	B. Cereal with milk	D. Contact the birth attendant.	https://quizzory.in/answer-sheet/62827a158723736a8d5b028b
41	16-05-2022	Mary	Nursing	Makindu	44	78.6%	F	B. Abruptio placentae	D. Nonstress testing is performed weekly until 32 weeks' gestation.	A. Prevent seizures.	A. 2 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	A. Yogurt	A. Inspect the perineum.	https://quizzory.in/answer-sheet/62827d228a13dd6b3d53bbe5
42	16-05-2022	Ramla	Nursing	Kmtc	31	55.4%	F	D. Spontaneous abortion	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	B. 7 days	C. Prevents perineal edema.	D. Physician who will attend the delivery of the infant.	A. The vaccine prevents a future fetus from developing congenital anomalies	D. Maintain a patent airway.	A. Yogurt	B. Time the contractions.	https://quizzory.in/answer-sheet/62827d237eb0016ad33722c8
43	16-05-2022	Sharon chebet	General nursing	St Clare's	19	33.9%	F	D. Spontaneous abortion	B. Contraction stress testing is performed weekly.	C. Slow the process of labor.	A. 2 days	A. Shortens the second stage of labor.	D. Physician who will attend the delivery of the infant.	B. Pregnancy should be avoided for 3 months after the immunization.	A. Pad the side rails.	B. Cereal with milk	D. Contact the birth attendant.	https://quizzory.in/answer-sheet/62827ee5fa04146a87726e2e
44	16-05-2022	Valarie Wanyonyi	Diploma in Nursing	Webuye	13	23.2%	F	D. Spontaneous abortion	C. Induction of labor begins at 34 weeks' gestation	A. Prevent seizures.	A. 2 days	B. Enlarges the pelvic inlet.	D. Physician who will attend the delivery of the infant.	D. The injection will provide immunity against the 7-day measles.	A. Pad the side rails.	C. Vegetable soup	D. Contact the birth attendant.	https://quizzory.in/answer-sheet/6282820b1a974c6b37145ee4