SURGERY E- MCQs

S.NO	Submit Date	Name	course	campus	Total Marks (66)	Result	1. GENDER	2. A 19 year old was stabbed in the back of the chest by a farm equipment. His blood pressure is 80/50 mm/Hg and heart rate is 130 beats/minutes. you are not able to hear the heart sounds and the breath sounds are normal on the left? a) What is the most likely pathology.	3. a) In the patient described above.what is	4. A 4 year old falls from a height. he presents to accident and emergency with difficulty in breathing respiratory rate is 60 breaths per minute his left hemithorax is moving less with respiration is neck veins are engorged and his percussion note on the same side is hyperresonant. a) in the case above what is the most likely diagnosis?	5. what emergent intervention will you do next in the above-mentioned patient	6. Grade III dysphagia is	7. a good clinician	8. trauma to the spinal cord and resultant loss of autonomic and motor reflexes below the injury level can lead to the following type of shock	9. the skin is dry and warm in which type of shock	10. in what position should a patient in shock be placed	11. an asymmetrical abdomen indicates which of the followin
1	22-04-2022	Ramli	Nursing	Nakuru	30	45.5%	m	Cardiac tamponade	Emergent pericardiocentesis	pneumonia- hemothorax	intubate and ventilae	one cannot swallow solids but is able to take semi solids	for the listoner	anaphylactic	septic shock	left lateral	bowel obstruction
2	22-04-2022	Robert	nursing	bomet	30	45.5%	m	Tension Pneumothorax	intubate	pneumothorax	intubate and ventilae	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	left lateral	bowel obstruction
3	22-04-2022	Rollin	Orthopedics	Kapenguria	30	45.5%	m	Haemothorax	Emergent pericardiocentesis	pneumonia- hemothorax	intubate and ventilae	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	cardiogenic	left lateral	bowel obstruction
4	22-04-2022	Nyechae Des	СМ	Lodwar	18	27.3%	F	Cardiac tamponade	intubate	pneumonia- hemothorax	intubate and ventilae	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	supine	bowel obstruction

etrical en es which ollowing	Answer Sheet Link
tion	https://quizzory.in/answer- sheet/626283837eb0016ad32cbad9
tion	https://quizzory.in/answer- sheet/626284906aa11b6aa934d1fc
tion	https://quizzory.in/answer- sheet/626284fa7cf5316af638809b
tion	https://quizzory.in/answer- sheet/626284fb629f256b61d51562

											1	1	1	1	1	1	1	
5	22-04-2022	Ronoh Kipkoech	Orthopaedic	Makindu	54	81.8%	m	Cardiac tamponade	Emergent pericardiocentesis	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	neurogenic	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/626285b3a86a606b5bba2531
6	22-04-2022	Jou	Со	Nakuru	24	36.4%	m	Haemothorax	Laparoscopic Thoracotomy	hemothorax	intubate and ventilae	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/6262866f02e67c6b8884e260
7	22-04-2022	Yvonne Atieno	Clinical medicine	Bomet	18	27.3%	F	Tension Pneumothorax	Tube Thoracotomy	pneumothorax	insert a chest tube	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	supine	bowel obstruction	https://quizzory.in/answer- sheet/626287a81a974c6b370a3743
8	22-04-2022	BNO	MD	KP	30	45.5%	m	Tension Pneumothorax	Tube Thoracotomy	hemothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	propped up	tumor	https://quizzory.in/answer- sheet/6262883502e67c6b8884e368
9	22-04-2022	Winny	СМ	Voi	24	36.4%	F	Tension Pneumothorax	u u u	pneumonia- hemothorax	pericardiocentesis	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	cardiogenic	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/626288518a13dd6b3d495fca
10	22-04-2022	Eliud	Cm	Kb	30	45.5%	m	Tension Pneumothorax	u u u	pneumonia- hemothorax	intubate and ventilae	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	left lateral	ascites	https://quizzory.in/answer- sheet/626288aa629f256b61d51675
11	22-04-2022	Dex	Surgery	Home	24	36.4%	m	Tension Pneumothorax	Tube Thoracotomy	hemothorax	insert a chest tube	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	neurogenic	supine	flatus	https://quizzory.in/answer- sheet/626288b3629f256b61d51678
12	22-04-2022	Justice	Clinical med	Ecuardo	6	9.1%	F	Haemothorax		pneumonia- hemothorax	insert a chest tube	one can swallow liquids only	simplifies complex issues for the listener	cardiogenic	obstructive	supine	pregnancy	https://quizzory.in/answer- sheet/626288f88a13dd6b3d496013
13	22-04-2022	Frances	Nursing	Kmtc	18	27.3%	F	Cardiac tamponade		pneumonia- hemothorax	pericardiocentesis	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	cardiogenic	propped up	pregnancy	https://quizzory.in/answer- sheet/62628969fb7f576b1aee8cc0
14	22-04-2022	Robinson	Bsc . Clinical Medicine	Great Lakes	30	45.5%	m	Haemothorax	Tube Thoracotomy	pneumothorax	insert a chest tube	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	head low	tumor	https://quizzory.in/answer- sheet/626289a38723736a8d508176

15	22-04-2022	Muthomi	Clinical medicine	Gluk	48	72.7%	m	Cardiac tamponade	Emergent pericardiocentesis	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one is unable to swallow liquids but able to swallow saliva	-	septic shock	propped up	tumor	https://quizzory.in/answer- sheet/626289a98723736a8d508178
16	22-04-2022	Martin Njeru	Bsc Clinical med	Meru uni	30	45.5%	m	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	insert a chest tube	one cannot swallow saliva for the list	-	anaphylactic	left lateral	tumor	https://quizzory.in/answer- sheet/626289d78723736a8d5081e3
17	22-04-2022	Yooh	Clinical medicine	Meru	30	45.5%	m	Cardiac tamponade	Emergent pericardiocentesis	insert a chest tube	one is unable to swallow liquids but able to swallow saliva	etic neurogenic	anaphylactic	propped up	bowel obstruction	https://quizzory.in/answer- sheet/626289e06aa11b6aa934d306
18	22-04-2022	Diana	BSC clinical medicine	Egerton	48	72.7%	F	Cardiac tamponade	Emergent pericardiocentesis	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one is unable to swallow liquids but able to swallow saliva	-	neurogenic	supine	tumor	https://quizzory.in/answer- sheet/626289f7629f256b61d51695
19	22-04-2022	Con	S	Mrg	18	27.3%	m	Tension Pneumothorax	Insert a wide bore in the 2nd pneumonia- intercostal space, hemothorax mid clavicular line	pericardiocentesis	one is unable to swallow liquids but able to swallow saliva	etic neurogenic	anaphylactic	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/62628a1325aeec6af0449b5e
20	22-04-2022	Kipngetich	Nursing	Bomet	24	36.4%	m	Pneumothorax	Emergent pericardiocentesis hemothorax	thoracotomy	one is unable to swallow liquids but able to swallow saliva	sues neurogenic	septic shock	supine	ascites	https://quizzory.in/answer- sheet/62628a94fa04146a8767e0b5
21	22-04-2022	Ann	Clinical medicine	Kendu Adventist school of medical science	24	36.4%	F	Tension Pneumothorax	Tube Thoracotomy pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow saliva for the list	-	anaphylactic	propped up	ascites	https://quizzory.in/answer- sheet/62628b201a974c6b370a3822
22	22-04-2022	Maryline	Nursing	Bomet	18	27.3%	F	Tension Pneumothorax	Laparoscopic pneumonia- Thoracotomy hemothorax	intubate and ventilae	one cannot swallow saliva for the list		neurogenic	head low	bowel obstruction	https://quizzory.in/answer- sheet/62628b2a8a13dd6b3d4960fe
23	22-04-2022	Hosea Mokua Anyong'a	Diploma in community health nursing	Kapkatet campus	18	27.3%	m	Cardiac tamponade	Tube Thoracotomy hemothorax	thoracotomy	one can swallow liquids only for the list		cardiogenic	supine	bowel obstruction	https://quizzory.in/answer- sheet/62628bf7629f256b61d516f7

24	22-04-2022	Maryann	Nursing	Mkd	18	27.3%	F	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	hemothorax	insert a wide wide bore needle in the 2nd intercostal space,	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	head low	bowel obstruction	https://quizzory.in/answer- sheet/62628c31da70dc6acca72b18
25	22-04-2022	Edith	Clinical medicine	Gluk	30	45.5%	F	Tension Pneumothorax	Emergent	pneumothorax	mid clavicular line insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow solids but is able to	simplifies complex issues for the listener	neurogenic	obstructive	supine	pregnancy	https://quizzory.in/answer- sheet/62628c33a056e36ab0a3024f
26	22-04-2022	Cornelius Matende	Clinical Medicine	Kmtc	30	45.5%	m	Haemothorax	Emergent pericardiocentesis	pneumonia- hemothorax	pericardiocentesis	one is unable to		neurogenic	septic shock	left lateral	ascites	https://quizzory.in/answer- sheet/62628c3f02e67c6b8884e4d4
27	22-04-2022	Irene	Nursing	Nairobi	30	45.5%	F	Cardiac tamponade	Tube Thoracotomy	pneumothorax	insert a chest tube	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	obstructive	propped up	tumor	https://quizzory.in/answer- sheet/62628d59da70dc6acca72b91
28	22-04-2022	James	Krchn	kmtc	42	63.6%	m	Cardiac tamponade	Emergent pericardiocentesis	pneumothorax	thoracotomy	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	pregnancy	https://quizzory.in/answer- sheet/62628d7c02e67c6b8884e629
29	22-04-2022	Lyn	Cm	Me	12	18.2%	F	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	hemothorax	pericardiocentesis		simplifies complex issues for the listener	anaphylactic	septic shock	head low	tumor	https://quizzory.in/answer- sheet/62628d937eb0016ad32cc2c8
30	22-04-2022	Harrie	Bsc clinical medicine	University of kabianga	54	81.8%	m	Cardiac tamponade	Emergent pericardiocentesis	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	neurogenic	head low	tumor	https://quizzory.in/answer- sheet/62628ebd1a974c6b370a3a1d
31	22-04-2022	Dante Dante	Garissa	Garissa	18	27.3%	F	Haemothorax	Tube Thoracotomy	pneumothorax	insert a chest tube	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	supine	ascites	https://quizzory.in/answer- sheet/62628ee4fa04146a8767e22a
32	22-04-2022	Victor	Nursing	Kitale	12	18.2%	m	Normal Chest findings	Laparoscopic Thoracotomy	pneumonia- hemothorax	pericardiocentesis	one cannot swallow saliva	is not open to learning	cardiogenic	anaphylactic	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/62628f3db8c93c6b14378423

33	22-04-2022	Alex Thuku Kaminja	Clinical medicine and surgery	Mosoriot	30	45.5%	m	Haemothorax	Tube Thoracotomy	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	propped up	bowel obstruction	https://quizzory.in/answer- sheet/62628f9e25aeec6af0449c87
34	22-04-2022	lan charo	Cm	Msa	18	27.3%	m	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumonia- hemothorax	intubate and ventilae	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	cardiogenic	head low	bowel obstruction	https://quizzory.in/answer- sheet/62628fb625aeec6af0449c8b
35	22-04-2022	Dick	Cm	Каре	30	45.5%	m	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	but able to	is sympathetic	neurogenic	obstructive	head low	tumor	https://quizzory.in/answer- sheet/626294b56aa11b6aa934d544
36	22-04-2022	mercy	medicine	uon	24	36.4%	F	Haemothorax	Tube Thoracotomy	pneumonia- hemothorax	insert a chest tube	one cannot swallow solids but is able to take semi solids	is sympathetic	neurogenic	neurogenic	left lateral	tumor	https://quizzory.in/answer- sheet/626294db02e67c6b8884eaba
37	22-04-2022	Dorcas Njoroge	Clinical medicine	Egerton	30	45.5%	F	Cardiac tamponade	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow saliva	is sympathetic	neurogenic	obstructive	propped up	tumor	https://quizzory.in/answer- sheet/6262952cb8c93c6b14378643
38	22-04-2022	Titus langat	Medicine	Tenwek	36	54.5%	m	Cardiac tamponade	Emergent pericardiocentesis	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow solids but is able to take semi solids	does not listen, only gives answers	neurogenic	obstructive	propped up	ascites	https://quizzory.in/answer- sheet/62629589b8c93c6b1437867e
39	22-04-2022	Eric	Bsc Clinical medicine	Uok	36	54.5%	m	Cardiac tamponade	Emergent pericardiocentesis	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	liquids only	is sympathetic	neurogenic	anaphylactic	head low	bowel obstruction	https://quizzory.in/answer- sheet/626296fe8723736a8d5085e9
40	22-04-2022	04	Clinical medicine	Gluk	24	36.4%	F	Haemothorax	Tube Thoracotomy	pneumothorax	insert a chest tube	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	anaphylactic	supine	tumor	https://quizzory.in/answer- sheet/626299628a13dd6b3d49662f

			1	T	I		[1	1	I	I	T	Г			1	[
41	22-04-2022	Njiriri	Bachelor in Clinical Medicine	. Egerton University	42	63.6%	F	Cardiac tamponade	Emergent pericardiocentesis	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	propped up	tumor	https://quizzory.in/answer- sheet/62629b01b8c93c6b14378931
42	22-04-2022	Susan	Nursing	Muranga	24	36.4%	F	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	propped up	bowel obstruction	https://quizzory.in/answer- sheet/62629c2ea056e36ab0a307a1
43	22-04-2022	James	Nursing	Siaya	30	45.5%	m	Cardiac tamponade	Emergent pericardiocentesis	pneumonia- hemothorax	intubate and ventilae	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	head low	ascites	https://quizzory.in/answer- sheet/62629cbefa04146a8767e970
44	22-04-2022	Esther moraa	Clinical medicine	Nyamira	36	54.5%	F	Tension Pneumothorax	Emergent pericardiocentesis	pneumothorax	in the 2nd	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	ascites	https://quizzory.in/answer- sheet/62629de925aeec6af044a5f3
45	22-04-2022	Betty chepkurui	Clinical medicine	Aic litein MTC	18	27.3%	F	Haemothorax	intubate	pneumothorax	insert a chest tube	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	propped up	ascites	https://quizzory.in/answer- sheet/6262a04d8723736a8d508966
46	22-04-2022	LAS	DCM	Nyamira	24	36.4%	m	Tension Pneumothorax	Tube Thoracotomy	hemothorax	thoracotomy	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	neurogenic	head low	pregnancy	https://quizzory.in/answer- sheet/6262a06d7cf5316af6388a4b
47	22-04-2022	Vvvv	Ссс	Gg	42	63.6%	m	Cardiac tamponade	Emergent pericardiocentesis	hemothorax	insert a chest tube	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	obstructive	left lateral	tumor	https://quizzory.in/answer- sheet/6262a6eb8723736a8d508abe
48	22-04-2022	Santa Ina	Clinical medicine	Mku	36	54.5%	m	Cardiac tamponade	Emergent pericardiocentesis	pneumothorax	insert a chest tube	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	propped up	bowel obstruction	https://quizzory.in/answer- sheet/6262a829629f256b61d520c6
49	22-04-2022	Ann	C.Medicine	Kemu	24	36.4%	F	Tension Pneumothorax	intubate	hemothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	cardiogenic	propped up	tumor	https://quizzory.in/answer- sheet/6262a8538723736a8d508adb

	-												•				
50	22-04-2022	John Emmanuel	Clinical medicine	GREAT LAKES UNIVERSITY OF KISUMU	42	63.6%	m	Cardiac tamponade	Emergent pneumonia- pericardiocentesis hemothorax	insert a chest tube	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	left lateral	tumor	https://quizzory.in/answer- sheet/6262ab686aa11b6aa934de5e
51	22-04-2022	Fiona	СМ	Msambweni	18	27.3%	F	Tension Pneumothorax	Insert a wide bore in the 2nd pneumonia- intercostal space, hemothorax mid clavicular line	insert a chest tube	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	obstructive	left lateral	pregnancy	https://quizzory.in/answer- sheet/6262add0a86a606b5bba3140
52	22-04-2022	Jackson kipchir	Clinical medicine and surgery	Bomet	36	54.5%	m	Haemothorax	Tube Thoracotomy pneumothora	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	head low	tumor	https://quizzory.in/answer- sheet/6262ae9bfa04146a8767ee1b
53	22-04-2022	Meshack	Bachelors of science in clinical medicine	Great Lakes University of Kisumu	30	45.5%	m	Haemothorax	Insert a wide bore in the 2nd pneumonia- intercostal space, hemothorax mid clavicular line	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	liquids only	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/6262afaea86a606b5bba316a
54	22-04-2022	Vinic	ECHN	Bomet	18	27.3%	F	Tension Pneumothorax	Emergent pneumonia- pericardiocentesis hemothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	swallow liquids but able to	is sympathetic	neurogenic	obstructive	supine	bowel obstruction	https://quizzory.in/answer- sheet/6262b0227cf5316af6388efa
55	22-04-2022	Mwanasiti	ВСМ	Gluk	36	54.5%	F	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	tumor	https://quizzory.in/answer- sheet/6262b143fa04146a8767ef7f
56	22-04-2022	Evans	Dcm	Kapkatet campus	24	36.4%	m	Tension Pneumothorax	Laparoscopic Thoracotomy hemothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	but able to	simplifies complex issues for the listener	neurogenic	septic shock	propped up	ascites	https://quizzory.in/answer- sheet/6262b584fa04146a8767f358
57	22-04-2022	Faith	Clinical medicine	GLUK	24	36.4%	F	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	insert a chest tube	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	anaphylactic	head low	tumor	https://quizzory.in/answer- sheet/6262b61302e67c6b8884f183

58	22-04-2022	Rik	Clinical medicine	University of kabianga	24	36.4%	m	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	hemothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	head low	ascites
59	22-04-2022	Veronica kaloki	Orthopedics	Chuka	12	18.2%	F	Tension Pneumothorax	Laparoscopic Thoracotomy	pneumothorax	intubate and ventilae	one can swallow liquids only	simplifies complex issues for the listener	septic	anaphylactic	supine	ascites
60	22-04-2022	Liz	Bsc.Clinical med	Maseno	24	36.4%	F	Cardiac tamponade	Emergent pericardiocentesis	hemothorax	intubate and ventilae	one is unable to swallow liquids but able to swallow saliva	is sympathetic	neurogenic	anaphylactic	propped up	tumor
61	22-04-2022	Mm	Bcm	Mm	30	45.5%	F	Haemothorax	Tube Thoracotomy	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	left lateral	pregnancy
62	22-04-2022	Wycliffe	D/CM/20024/1801	Webuye	36	54.5%	m	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumonia- hemothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	left lateral	tumor
63	22-04-2022	Baraqo Guyo	Diploma nursing	Makindu	30	45.5%	m	Haemothorax	Emergent pericardiocentesis	pneumothorax	intubate and ventilae	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	supine	bowel obstruction
64	22-04-2022	Cecilia kavee	Nursing	Makindu	18	27.3%	F	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	hemothorax	thoracotomy	No Answer	simplifies complex issues for the listener	neurogenic	neurogenic	supine	ascites
65	22-04-2022	Smam	СМ	Msa	24	36.4%	F	Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	intubate and ventilae	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	propped up	tumor
66	22-04-2022	Abdi gza	Clinical medicine	Garissa	36	54.5%	m	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	flatus

	https://quizzory.in/answer- sheet/6262ba6fa056e36ab0a30eab
	https://quizzory.in/answer- sheet/6262bd2b6aa11b6aa934e41a
	https://quizzory.in/answer- sheet/6262c54f7cf5316af63896ec
¢	https://quizzory.in/answer- sheet/6262cf131a974c6b370a59be
	https://quizzory.in/answer- sheet/6262d269a056e36ab0a3196a
on	https://quizzory.in/answer- sheet/6262d315a056e36ab0a31b00
	https://quizzory.in/answer- sheet/6262d3807cf5316af6389db9
	https://quizzory.in/answer- sheet/6262d408629f256b61d53826
	https://quizzory.in/answer- sheet/6262d705fa04146a8767fea2

67	22-04-2022	Halima Dama	Clinical medicine	Msambweni	6	9.1%	F	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	hemothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow saliva	is sympathetic	septic	anaphylactic	head low	flatus	https://quizzory.in/answer- sheet/6262d71ea86a606b5bba3d4a
68	22-04-2022	Moses	clinical medicine	nairobi	12	18.2%	m	Cardiac tamponade	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	No Answer	https://quizzory.in/answer- sheet/6262dbe1fa04146a8767ffb2
69	22-04-2022	Asenath kariuki	Clinical medicine	Matuga	36	54.5%	F	Haemothorax	Emergent pericardiocentesis	pneumothorax	pericardiocentesis	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	tumor	https://quizzory.in/answer- sheet/6262e11b6aa11b6aa934f118
70	22-04-2022	Elizabeth mutunga	Clinical medicine	Makindu	30	45.5%	F	Haemothorax	Laparoscopic Thoracotomy	pneumothorax	insert a chest tube	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	tumor	https://quizzory.in/answer- sheet/6262e3f1da70dc6acca74a0d
71	22-04-2022	Phenny	Clinical medicine	Kisumu	24	36.4%	F	Cardiac tamponade	Emergent pericardiocentesis	hemothorax	intubate and ventilae	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	propped up	ascites	https://quizzory.in/answer- sheet/6262e6a47eb0016ad32ce760
72	22-04-2022	Gladys	Cm	Kmtc	42	63.6%	F	Cardiac tamponade	intubate	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	tumor	https://quizzory.in/answer- sheet/6262e6c61a974c6b370a6205
73	22-04-2022	Christine	СМ	Карее	18	27.3%	F	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	insert a chest tube	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	cardiogenic	supine	bowel obstruction	https://quizzory.in/answer- sheet/6262e7b6fb7f576b1aeeb1fd
74	22-04-2022	Aden	Nursing	Siaya	12	18.2%	m	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumonia- hemothorax	insert a chest tube	one cannot swallow saliva	simplifies complex issues for the listener	anaphylactic	cardiogenic	head low	bowel obstruction	https://quizzory.in/answer- sheet/6262edb08723736a8d509f4f
75	22-04-2022	Sharon Chemutai	Bsn clinical medicine	Uzima university	30	45.5%	F	Cardiac tamponade	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	propped up	pregnancy	https://quizzory.in/answer- sheet/6262f284b8c93c6b1437a928
76	22-04-2022	Judy peter	Nursing	Makindu	24	36.4%	F	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	intubate and ventilae	one cannot swallow saliva	simplifies complex issues for the listener	neurogenic	cardiogenic	left lateral	ascites	https://quizzory.in/answer- sheet/6262f7cada70dc6acca75075

77	22-04-2022	Yvonne	Cm	Nyamira	18	27.3%	F	Pneumothorax	intubate hemothorax	intubate and ventilae	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/6262fc25629f256b61d54279
78	22-04-2022	Mawili Mawili	СМ	Makindu	36	54.5%	m	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	anaphylactic	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/62630506fb7f576b1aeeb902
79	22-04-2022	Jay	Clinical medicine	Tenwek	36	54.5%	m	Haemothorax	Tube Thoracotomy pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	but is able to	simplifies complex issues for the listener	neurogenic	anaphylactic	head low	tumor	https://quizzory.in/answer- sheet/626308cf25aeec6af044c764
80	22-04-2022	Roidah Kwamboka Arasa	Clinical medicine	Nakuru	12	18.2%	F	Tension Pneumothorax	Tube Thoracotomy pneumothorax	insert a chest tube	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	cardiogenic	septic shock	supine	ascites	https://quizzory.in/answer- sheet/626311cc02e67c6b88850664
81	22-04-2022	Francis	Clinical medicine and minor surgery	Mkd	30	45.5%	m	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one cannot swallow solids but is able to take semi solids	simplifies complex issues for the listener	neurogenic	anaphylactic	propped up	bowel obstruction	https://quizzory.in/answer- sheet/6263145dda70dc6acca752f3
82	23-04-2022	Collins	Clinical medicine	Makindu kmtc	30	45.5%	m	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one can swallow liquids only	simplifies complex issues for the listener	neurogenic	septic shock	left lateral	bowel obstruction	https://quizzory.in/answer- sheet/62638616a86a606b5bba5d7b
83	23-04-2022	Ajevi liz	Clinical medicine	Makindu	18	27.3%	F	Haemothorax	Tube Thoracotomy pneumothorax	insert a chest tube	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	supine	flatus	https://quizzory.in/answer- sheet/62638c63a86a606b5bba6420
84	23-04-2022	Robai Linet	Bsc Clinical Medicine and community Health	Meru University	30	45.5%	F	Haemothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	insert a chest tube	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	neurogenic	propped up	tumor	https://quizzory.in/answer- sheet/6263afb0fa04146a876834bc

85	23-04-2022	Achieng	clinical medicine	kisumu	30	45.5%	F	Cardiac tamponade	Emergent pericardiocentesis	hemothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	liquids only	simplifies complex issues for the listener	neurogenic	septic shock	propped up	bowel obstruction	https://quizzory.in/answer- sheet/6263b097a86a606b5bba7279
86	23-04-2022	Wycliff Nyaanga	Nursing	Muranga	18	27.3%	m	Pneumothorax	Tube Thoracotomy	pneumothorax	intubate and ventilae	one is unable to swallow liquids but able to swallow saliva	is sympathetic	neurogenic	anaphylactic	head low	bowel obstruction	https://quizzory.in/answer- sheet/6263b6ba7cf5316af638d72e
87	23-04-2022	Emelda	Clinical med	Kapkater	30	45.5%	F	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	pneumothorax	insert a wide wide bore needle in the 2nd intercostal space, mid clavicular line	one is unable to swallow liquids but able to swallow saliva	simplifies complex issues for the listener	neurogenic	anaphylactic	propped up	tumor	https://quizzory.in/answer- sheet/6263d558b8c93c6b1437e175
88	23-04-2022	Job	СМ	Kapkatet	6	9.1%	F	Tension Pneumothorax	Insert a wide bore in the 2nd intercostal space, mid clavicular line	hemothorax	insert a chest tube	one cannot swallow solids but is able to take semi solids	is sympathetic	neurogenic	cardiogenic	supine	pregnancy	https://quizzory.in/answer- sheet/6263f3be8723736a8d50f35d
89	23-04-2022	Wilfred	Nursing	Kisii	6	9.1%	m	Haemothorax	Laparoscopic Thoracotomy	hemothorax	pericardiocentesis	one cannot swallow saliva	is sympathetic	obstructive	cardiogenic	prone	pregnancy	https://quizzory.in/answer- sheet/62640da67eb0016ad32d355d
90	23-04-2022	F	Nursing	Embu	6	9.1%	m	Pneumothorax		pneumonia- hemothorax	thoracotomy	one cannot swallow solids but is able to take semi solids	is sympathetic	anaphylactic	anaphylactic	supine	ascites	https://quizzory.in/answer- sheet/6264318fa056e36ab0a389e7

Powered by SurveyHeart