## **TRACTION**

S.NO	Submit Date	Name	Number	Total Marks (90)	Result	1. COURSE	2. GENDER	3. bucks skin traction is used to treat knee injuries other than fractures	4. which of the following type of skin traction uses a sling to allow more movement in bed and allows flexion of the knee joint	5. which of the following skin traction is used for children with the fractured femurs	6. which of the following is true about the Bryant's traction	procedure done	8. why are the pins used in skeletal traction kept clean and aseptic	9. among the following skeletal traction method, is a method of choice during cervical fractures and can also be used to help correct deformities such as kyphosis	10. explain the use of pulleys and weight during skeletal traction	11. X-rays are done preoperatively and may be repeated during treatment to ensure a stable alignment	12. not important in post operative care	13. deep breathing exercise are taught	14. which of the following is not a risk associated with the traction	traction contain five	reasons to check	17. radiographic examination is best down without moving the patient out of the word	Answer Sheet Link
1	25-02-2022	Lydiah	0700419871	30	33.3%	Nursing	F	False	Buck's traction	Russell's traction	it is used to stabilize only the knee and reduce muscle spasm satta	buck's traction	to prevent relapsing of the fracture	tibia pin	It helps to align the muscles	true	blood and urine test are done	in post operation	because of long periods of immobility the patient may develop bed sores	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218c8228ad5551df0c73658
2	25-02-2022	Jerry	0721649275	55	61.1%	Clinical medicine	М	False	Russell's traction	Bryant's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	skeletal traction	to avoid infection	halo	To facilitate flexion and extension of limb thus ensuring it does not become dormant	true	be sure patient is alert to any swelling or tingling due to the limb being wrapped too tightly	in pre-operation	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218c9a62d59bc1df6d218a1
3	25-02-2022	Joseck Orwaru	0704716198	49	54.4%	Nursing	М	True	Bryant's	Russell's traction	it is used to stabilize only the knee and reduce muscle spasm satta	skeletal traction	to avoid infection	halo	Immobilization and helps in bone alignment	true	make sure skin does not become sore or irritated	in pre-operation	traction is applied incorrectly or the skin becomes irritated	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218ca1a97a1921db02667f7
4	25-02-2022	Vivian Jebet	0759338406	48	53.3%	Nursing	F	False	Buck's traction	Buck's traction	it is used to stabilize only the knee and reduce muscle spasm satta	skeletal traction	to avoid infection	tibia pin	Used for alignment of bones in case of knee fracture.	true	blood and urine test are done	in post operation	drug reaction may establish	removal of traction	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218ca5f2d59bc1df6d218d6

5	25-02-2022	Joy	0707097466	42	46.7%	Nursing	F	False	Russell's traction	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint to avoid infection	halo	I don't know true make sure does not become so irritated	in post	drug reaction may establish	care of the traction system	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218ca732d59bc1df6d218d8
6	25-02-2022	EMMANUEL KIBET NGENO	0708330503	67	74.4%	Orthopaedics	М	True	Buck's traction	Buck's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	halo	Provides a force to adjust the bones after a fracture and help them to return to their proper place  blood and test are do	rine in post ne operation	drug reaction may establish	removal of traction	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218cac23b8aa41ebc58f9e0
7	25-02-2022	Osama Mohamed	0729509466	55	61.1%	Orthopaedic and Trauma medicine	М	True	Bryant's	Buck's traction	it is used to stabilize only the knee and reduce muscle spasm satta to avoid infection	halo	Pulleys allowed free movement of ropes and weight immobilized movement.	l in pre-ope	ation drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	False	https://quizzory.in/answer-sheet/6218cb7b54ac721e3805b737
8	25-02-2022	samwel Gachanja	0715253527	43	47.8%	со	М	False	Bryant's	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint to avoid infection	tibia pin	used to aline the bone back together pulleys are attached to weight at the end  be sure pa is alert to swelling of tingling do the limb b wrapped to tightly	in post operation	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	True	https://quizzory.in/answer-sheet/6218cbaa97a1921db026681a
9	25-02-2022	Stephens M	2	49	54.4%	Orthopedic	М	False	Russell's traction	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint to avoid infection	halo	To provide traction force which tries to overcome muscles action true blood and test are do	i in pre-ope	ation drug reaction may establish		after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218cc222d59bc1df6d219ff
10	25-02-2022	Joan rono	011	60	66.7%	Diploma in Clinical medicine and surgery	F	True	Bryant's	Russell's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	halo	Help in counteracting the weight of the patient against the weight of POP in order to align the bone	rine in post ne operation	traction is applied incorrectly or the skin becomes irritated	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218cc6fd3b8c51dccee89c0

11	25-02-2022	Makena mbatik	ca D/cm/20037/1625	30	33.3%	Со	F True	Buck's traction	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	buck's traction	to avoid infection	halo	To avoid skeletal traction of more weight than the patient and also pulleys are used as countertract	make sure the limb stays in pre-operation aligned		ographic after every drug nination administration	https://quizzory.in/answer- sheet/6218cd023b8aa41ebc58fbfb
12	25-02-2022	Kelvins Jude	0012	67	74.4%	Clinical medicine	M True	Russell's traction	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	skeletal traction	to avoid infection	halo	Weight and pulleys are used to provide enough force to pull the fracture fragments together	blood and urine in post test are done operation	drug reaction of loo may establish anae	inistration after heat cal manipulation asthesia to and after each patient weight change	https://quizzory.in/answer-sheet/6218cd195074781e67588a2a
13	25-02-2022	Olive	C/OPT/21043/111	60	66.7%	Orthopaedic	F True	Buck's traction	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	skeletal traction	to avoid infection	tibia pin	Pulleys are used to suspend the weight	blood and urine in post test are done operation		ographic daily basis in the nination morning	https://quizzory.in/answer-sheet/6218ce738376901e9001990c
14	25-02-2022	Carol	0722363436	42	46.7%	Orthopedics	F False	Bryant's	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	buck's traction	to avoid infection	halo	Overcome force of gravity , counteracting force	blood and urine in post test are done operation	drug reaction of loo may establish anae	inistration cal daily basis in the esthesia to morning patient	https://quizzory.in/answer-sheet/6218cecd5074781e67588b12
15	25-02-2022	Eliud	Isaiah	37	41.1%	Clinical medicine	M True	Bryant's	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	buck's traction	to avoid infection	halo	Pulleys are used to allow movement of the limb while true the weights are the ones that tract the muscle	make sure skin does not become sore or irritated	drug reaction of loo may establish anae	inistration cal daily basis in the esthesia to morning patient	https://quizzory.in/answer-sheet/6218cf2e3b8aa41ebc58fe96
16	25-02-2022	Ali Abdi	0713798595	61	67.8%	СО	M True	Russell's traction	Russell's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	skin traction	to avoid infection	tibia pin	To keep bones intact true	blood and urine test are done in pre-operation	drug reaction of loo may establish anae	inistration after heat cal manipulation esthesia to and after each patient weight change	https://quizzory.in/answer-sheet/6218cf73e4ff921e13a8585c

17	25-02-2022 Abdullahi mohamed noor 0722615244	49	54.4%	Community health nursing	М	True	Buck's traction	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	halo	You use to handle with Care during pulley and weight skeletal traction false	in pre-operation	traction is applied incorrectly or the skin becomes irritated  traction removal of traction	daily basis in the morning	True	https://quizzory.in/answer- sheet/6218d1329157101e846d40a7
18	25-02-2022 ABRAHAM KORIR 0719209639	55	61.1%	Nursing	М	True	Buck's traction	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	tibia pin	its use to determine the measurements needed  true  blood and urine test are done	in pre-operation	drug reaction removal of may establish traction	daily basis in the morning	True	https://quizzory.in/answer- sheet/6218d1368ad5551df0c73a8d
19	25-02-2022 Aderogba daud 001	67	74.4%	MBBS	М	True	Russell's traction	Russell's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	halo	This provides a force to adjust the bones after a fracture  be sure patient is alert to any swelling or tingling due to the limb being wrapped too tightly	in post operation	administration drug reaction may establish anaesthesia to the patient	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218d3afd3b8c51dccee8c04
20	25-02-2022 Mercy Kosgei 0700698607	54	60.0%	Nursing	F	True	Buck's traction	Bryant's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint to avoid infection	tibia pin	Align the fructured bones true blood and urine test are done	in pre-operation	drug reaction of local anaesthesia to the patient	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218d5145074781e67588efb
21	25-02-2022 Faith sang 0768599535	36	40.0%	Nursing	F	True	I Bryantic	Russell's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg  to avoid infection	tibia pin	To allign muscles true blood and urine test are done	in pre-operation	infection might occur at the pin sites  administration of local anaesthesia to the patient	daily basis in the morning	False	https://quizzory.in/answer- sheet/6218d58c95d6691daa0feb6e
22	25-02-2022 Faith 0735329529	36	40.0%	Orthopaedic	F	False	Bryant's	Bryant's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint to avoid infection	halo	Pulley is used in lifting up of patients Weight are used to maintain traction blood and urine test are done	in pre-operation	traction is applied incorrectly or the skin becomes irritated  traction removal of traction	daily basis in the morning	True	https://quizzory.in/answer- sheet/6218d58d5074781e67588f39

<u> </u>									_											_			
23	25-02-2022	Momanyi Isaiah	0791440069	73	81.1%	clinical Medicine and Surgery	М	True	Russell's traction	Bryant's traction the	oth legs are uspended at 0° angles to ne trunk of the ody and the reight align actured leg	tal traction	to avoid infection	halo	Pulleys and weights are interconnected by wires that enable movement along a prticular range	true	blood and urine in post test are done operation	infection occur at the sites	of loca	l hesia to	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218d5d777cfa91eb6d67176
24	25-02-2022	Achieng'	22029/248	42	46.7%	Nursing	F	True	Russell's traction	Bryant's traction be	uses sling to llow more novement in ed and allows exion of the nee joint	tal traction	to avoid infection	tibia pin	Avoiding muscle spasm satta	true	be sure patient is alert to any swelling or tingling due to the limb being wrapped too tightly	eration is applied incorrectl the skin becomes irritated	or of loca	nesia to	daily basis in the morning	False	https://quizzory.in/answer- sheet/6218d776c90a0a1e3fc0fbce
25	25-02-2022	Chepkoech Soi	0781483	54	60.0%	Nursing	F	True	Russell's traction	Bryant's traction the	is used to tabilize only ne knee and skelet educe muscle pasm satta	tal traction 1	to avoid infection	halo	to provide the force to align the bones after a fracture.	true	blood and urine test are done in pre-d	eration becomes irritated	or remov tractio	al of n	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218d780d58e831e19feb936
26	25-02-2022	Sharon wangoi	098	67	74.4%	Nursing	М	True	Russell's traction	Buck's traction the	oth legs are uspended at 0° angles to ne trunk of the ody and the reight align actured leg	tal traction	to avoid infection	halo	Used to have a counter traction force	true	blood and urine in post test are done operation	drug reac may estal	ion of loca	ilesia to	daily basis in the morning	False	https://quizzory.in/answer- sheet/6218da7d9157101e846d48ea
27	25-02-2022	Ronoh Kipkoech	0114107128	85	94.4%	Orthopaedics	М	True	Russell's traction	Bryant's traction the	oth legs are uspended at 0° angles to ne trunk of the ody and the reight align actured leg	tal traction	to avoid infection	halo	They are attached to wires to provide pulling force so as to align the target organs together	true	blood and urine in post test are done operation	drug reac may estal	ion of loca	l hesia to	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218dc2595d6691daa0fee3e
28	25-02-2022	Abraham	0704564341	67	74.4%	Nurse	М	True	Buck's traction	Russell's the bo	oth legs are uspended at 0° angles to ne trunk of the ody and the reight align actured leg	tal traction	to avoid infection	halo	Used to promote healing of fractured bones	true	blood and urine in post test are done operation	drug reac may estal	ion of loca	l hesia to	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218dc5e3b8aa41ebc590516

29	25-02-2022 REAGAN OLOG	0798069395	37	41.1%	NURSING	М	False	Russell's traction	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	to fasting the healing	halo	PASS	I true	blood and urine test are done	in pre-operation	because of long periods of immobility the patient may develop bed sores	removal of traction	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218e00c8ad5551df0c7434e
30	25-02-2022 Perpetua Kabur Gitonga	o757745197	72	80.0%	Orthopaedic and trauma medicine	1 F	False	Russell's traction	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	to avoid infection	halo	They are used for aligning the bone, hence transmitting equal weight.	true	blood and urine test are done	in pre-operation	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218e3178ad5551df0c7471f
31	25-02-2022 Judith ijai	0113352689	84	93.3%	Nursing	F	True	Russell's traction	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	to avoid infection	halo	Pulleys and weights are attached to the wires to provide the proper pull and alignment to the part	l true	blood and urine test are done	in post operation	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218e48fd58e831e19fec56b
32	25-02-2022 Najib buyani	0741727824	18	20.0%	Public health	F	False	Bryant's	Buck's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	to prevent relapsing of the fracture	halo	Pulling	false	make sure skin does not become sore or irritated	in pre-operation	infection might occur at the pin sites	care of the traction system	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218e68677cfa91eb6d67b23
33	25-02-2022 Mally	254	49	54.4%	Orthopaedic and trauma medicine	M	False	Bryant's	Bryant's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	to avoid infection	halo	To enhance more pulling power to achieve alignment	true	make sure the limb stays aligned	in pre-operation	drug reaction may establish	administration of local anaesthesia to the patient	daily basis in the morning	True	https://quizzory.in/answer- sheet/6218e8068ad5551df0c749e3
34	25-02-2022 Bensoul	0792248550	42	46.7%	Cm	F	True	Bryant's	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	to avoid infection	tibia pin	Hahvs	i true i	blood and urine test are done	in pre-operation	drug reaction may establish	care of the traction system	daily basis in the morning	True	https://quizzory.in/answer- sheet/6218e8fed03bbb1e5f68afdf

35	25-02-2022 Tabitha Mwaura	0796710730	66	73.3%	Orthopedic	F	False	Russell's traction	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	halo	Passage of cords Maintain traction force to produce bone alignment true make sure skin does not become sore or irritated	in post	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218ea79d3b8c51dccee9b58
36	25-02-2022 Purity jerono	7414	54	60.0%	Krchn	F	True	Russell's traction	Buck's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint to avoid infection	tibia pin	To keep alignment of the bone true blood and urine test are done	in pre-operation	drug reaction may establish	removal of traction	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218f4cc97a1921db02688bd
37	25-02-2022 Brian otieno	0715 942377	42	46.7%	Nursing	F	False	Russell's traction	Russell's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint to avoid infection	tibia pin	To avoid too much weight felt on one side by the patient true make sure the limb stays aligned	in post operation	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6218faf6c90a0a1e3fc115c7
38	25-02-2022 Grace	0791587774	60	66.7%	Orthopedics	F	False	Bryant's	Russell's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	halo	To allow the countertraction true blood and urine test are done	in post operation	drug reaction may establish	removal of traction	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218fc2c2d59bc1df6d23cf9
39	25-02-2022 Sharon	2440	60	66.7%	Nursing	F	True	Bryant's	Buck's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint to avoid infection	halo	Provide effective countertraction  true blood and urine test are done	in pre-operation	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6218ff629157101e846d65b7
40	25-02-2022 Amos Kibet	0716968421	55	61.1%	Nursing	М	True	Russell's traction	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	tibia pin	To achieve good traction there must be good counter traction true true must be come sore or irritated	in post operation	drug reaction may establish	radiographic examination	before bathing the patient	False	https://quizzory.in/answer- sheet/6219052b8376901e9001c210

41	25-02-2022	Joseph	D/nurs/21037/611	55	61.1%	Nurse	М	False	Buck's traction	Russell's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	to avoid infection	halo	Weight pull the broken limb when suspended on a pulley to allow easy upward and downward moment for	blood and urine test are done	in pre-operation	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6219085095d6691daa101243
42	25-02-2022	Mohamed	0722934070	43	47.8%	Nursing	М	True	Bryant's	Buck's traction	it is used to stabilize only the knee and reduce muscle spasm satta	to avoid infection	tibia pin	Is used to immobilize and correct into proper alignment the fracture bone	blood and urine test are done	in pre-operation	drug reaction may establish	radiographic examination	after heat manipulation and after each weight change	False	https://quizzory.in/answer- sheet/6219097797a1921db02698ca
43	25-02-2022	Heyz	0793665520	60	66.7%	Nursing	F	True	Russell's traction	Bryant's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	to avoid infection	tibia pin	To help elevate the structure of true the patient	blood and urine test are done	in pre-operation	drug reaction may establish	radiographic examination	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/62190e2b97a1921db0269f1e
44	25-02-2022	Mogire	01	31	34.4%	Nursing	М	False	Buck's traction	Russell's traction	it is used to stabilize only the knee and reduce muscle spasm satta	to fasting the healing	halo	Carry patient true	be sure patient is alert to any swelling or tingling due to the limb being wrapped too tightly	in post operation	traction is applied incorrectly or the skin becomes irritated	care of the patient	after every drug administration	True	https://quizzory.in/answer- sheet/62190ff18ad5551df0c767f6
45	25-02-2022	Vincent Abuga	0703445646	43	47.8%	Н	М	False	Buck's traction	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	to prevent n relapsing of the fracture	halo	H true	blood and urine test are done	in pre-operation	because of long periods of immobility the patient may develop bed sores		daily basis in the morning	True	https://quizzory.in/answer- sheet/6219101354ac721e3805f019
46	25-02-2022	Awuor sharon	0793686595	66	73.3%	Orthopedic	F	False	Bryant's	Bryant's traction	both legs are suspended at 90° angles to the trunk of the body and the weight align fractured leg	to avoid infection	halo	Offer attachment for true the cords.	blood and urine test are done	in pre-operation	drug reaction may establish	administration of local anaesthesia to the patient	after heat manipulation and after each weight change	True	https://quizzory.in/answer- sheet/6219133b3b8aa41ebc592fd2

47	25-02-2022	Wilfred	0728047484	37	41.1%	Nursing	М	False	Russell's traction	Buck's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	skeletal traction	to avoid infection	tibia pin	To know the status of the human heart rate	true	make sure the limb stays aligned	in post operation	because of long periods of immobility the patient may develop bed sores	removal of traction	daily basis in the morning	https://quizzory.in/answer- sheet/621915fd77cfa91eb6d69fb7
48	25-02-2022	Hafsa	0722954984	36	40.0%	Nursing	F	False	Bryant's	Buck's traction	it uses sling to allow more movement in bed and allows flexion of the knee joint	skin traction	to avoid infection	halo	Pass	true	blood and urine test are done	in post operation	drug reaction may establish	radiographic examination	daily basis in the morning	https://quizzory.in/answer- sheet/621917f48ad5551df0c76b93

Powered by SurveyHeart