TRAUMATOLOGY 11

S.NO	Submit Date	Name	course	campus	Total Marks (61)	Result	1. GENDER	2. which of the following is a precaution that should be paid attention to, while examining fracture of shoulder girdle	3. what is a common aetiological factor of Acromion fractures	4. Glenoid neck fractures occurs due to falls with an outstretched arm, blunt force	associated injuries to fracture of the	6. during the treatment of scapula fracture, how long do we recommend the sling before following it with early range of motion exercises	7. not associated injuries in clavicle fractures	8. which of the following fractures can least to elbow dislocation as well	9. which of the two involves usage if functional brace with good interosseous mold in non displaced or distal two thirds ulna shaft fractures	10. what's CRPP	11. not a common complication with fractures
1	28-03-2022	Ness Muthoni	Clinical medicine	Mombasa	37	60.7%	m	vagus nerve	blunt Force to shoulder directed posteriorly	false	humerus fractures	2 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	stiffness
2	28-03-2022	Sharon wangoi	Orthopedics	Kisii	42	68.9%	F	brachial nerve	blunt Force to shoulder directed inferiorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	operative	closed reduction percutaneous pinning	stiffness
3	28-03-2022	Carol	Orthopedics	Nairobi	42	68.9%	F	brachial nerve	blunt Force to shoulder directed posteriorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	operative	closed reduction percutaneous pinning	stiffness
4	28-03-2022	Cherry	Orthopaedics	Mumias	48	78.7%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	1 week	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy
5	28-03-2022	Khavaya	Orthopedic and trauma medicine	Shianda	54	88.5%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy
6	28-03-2022	Jacinta kioko	Orthopedic trauma medicine	Makueni	48	78.7%	F	brachial nerve	blunt Force to shoulder directed inferiorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy

5	Answer Sheet Link
	https://quizzory.in/answer- sheet/6241715f1a974c6b37ff937c
	https://quizzory.in/answer- sheet/624171d902e67c6b887a718f
	https://quizzory.in/answer- sheet/62417248a86a606b5baf8ca5
	https://quizzory.in/answer- sheet/624172ae712cd06b82f5ede8
	https://quizzory.in/answer- sheet/624172dca86a606b5baf8cb5
	https://quizzory.in/answer- sheet/624172e61a974c6b37ff9398

7	28-03-2022	Rollin	Orthopedics	Kapenguria	55	90.2%	m	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	operative	closed reduction percutaneous pinning	stiffness
8	28-03-2022	Ahmed Issack	СМ	Kisumu	43	70.5%	m	pectoralis major	blunt force to shoulder directed anteriorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	operative	closed reduction percutaneous pinning	stiffness
9	28-03-2022	Stephens M	Ortho	Nairobi MTC	37	60.7%	m	brachial nerve	blunt Force to shoulder directed superiorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	non operative	cast reductions plaster pinning	nerve palsy
10	28-03-2022	Cess	Ortho	Pr	36	59.0%	F	brachial nerve	blunt Force to shoulder directed inferiorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	operative	cast reduced plaster pront	stiffness
11	28-03-2022	Liza	Orthopaedic	Chuka	36	59.0%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	3 weeks	hip bone dislocation	scapula fracture	non operative	cast reductions plaster pinning	nerve palsy
12	28-03-2022	Winnie Yusa	Orthopedic	Nairobi	48	78.7%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	non union
13	28-03-2022	Winjoy	Orthopedic	Makindu	24	39.3%	F	brachial nerve	blunt Force to shoulder directed superiorly	true	shoulder fractures	3 weeks	hip bone dislocation	radius fracture	operative	cast reduced plaster pront	nerve palsy
14	28-03-2022	Mark	Nur	Nakuru	43	70.5%	m	pectoralis major	blunt force to shoulder directed anteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	operative	cast reduced plaster pront	stiffness
15	28-03-2022	Frances	Nursing	Kmtc	37	60.7%	m	brachial nerve	blunt Force to shoulder directed superiorly	true	olecranon process fracture	3 weeks	pneumothorax	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy

https://quizzory.in/answer- sheet/6241730a8a13dd6b3d3e7863
https://quizzory.in/answer- sheet/62417345b8c93c6b142cc500
https://quizzory.in/answer- sheet/624173e4da70dc6acc9c8487
https://quizzory.in/answer- sheet/6241740e1a974c6b37ff93b0
https://quizzory.in/answer- sheet/624174a425aeec6af039e381
https://quizzory.in/answer- sheet/624175e36aa11b6aa92a04a0
https://quizzory.in/answer- sheet/624177076aa11b6aa92a0576
https://quizzory.in/answer- sheet/6241791ada70dc6acc9c8730
https://quizzory.in/answer- sheet/62417996712cd06b82f5eed1

16	28-03-2022	Collins Ngeno	Orthopaedic	Sigowet	37	60.7%	m	brachial nerve	blunt Force to shoulder directed inferiorly	true	humerus fractures	3 weeks	hip bone dislocation	radius fracture	non operative	cast reductions plaster pinning	stiffness
17	28-03-2022	Nickson koech	Orthopedic	Makindu	25	41.0%	m	brachial nerve	blunt Force to shoulder directed posteriorly	true	humerus fractures	3 weeks	hip bone dislocation	radius fracture	operative	cast reductions plaster pinning	malunion
18	28-03-2022	Vivian	Nursing	КМТС	36	59.0%	F	brachial nerve	blunt Force to shoulder directed posteriorly	true	olecranon process fracture	3 weeks	hip bone dislocation	clavicle fractures	non operative	closed reduction percutaneous pinning	malunion
19	28-03-2022	Win	Orthopaedic and trauma	l Makindu	54	88.5%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy
20	28-03-2022	Gibson	Orthopaedic trauma medicine	Port Reitz	55	90.2%	m	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	stiffness
21	28-03-2022	Abdi gza	Clinical medicine	Garissa	31	50.8%	m	brachial nerve	blunt force to shoulder directed anteriorly	false	humerus fractures	3 weeks	rib fracture	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy
22	28-03-2022	Beato	Orthopedic	Kaptumo	48	78.7%	F	vagus nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy
23	28-03-2022	Mark	Orthopaedic	Makindu	31	50.8%	m	brachial nerve	blunt Force to shoulder directed posteriorly	true	shoulder fractures	3 weeks	hip bone dislocation	radius fracture	non operative	cast reductions plaster pinning	malunion
24	28-03-2022	Babieboy	Orthopaedics	Mbooni	43	70.5%	m	pectoralis major	blunt force to shoulder directed anteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	non operative	cast reductions plaster pinning	nerve palsy

https://quizzory.in/answer- sheet/624179d0fb7f576b1ae3fc88
https://quizzory.in/answer- sheet/62417a6ca056e36ab09854d3
https://quizzory.in/answer- sheet/62417aacb8c93c6b142cc7cb
https://quizzory.in/answer- sheet/62417baa6aa11b6aa92a0623
https://quizzory.in/answer- sheet/62417db78a13dd6b3d3e7ba7
https://quizzory.in/answer- sheet/62417dbe25aeec6af039e891
https://quizzory.in/answer- sheet/62417feaa86a606b5baf9137
https://quizzory.in/answer- sheet/624185ada056e36ab09857c8
https://quizzory.in/answer- sheet/624185e925aeec6af039ea60

25	28-03-2022	Ronoh Kipkoech	Orthopaedic	Makindu	43	70.5%	m	brachial nerve	blunt Force to shoulder directed posteriorly	true	olecranon process fracture	1½ weekd	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	malunion
26	28-03-2022	E	Ortho	Nrb	36	59.0%	F	brachial nerve	blunt force to shoulder directed anteriorly	false	olecranon process fracture	3 weeks	scapula thoracic dissociation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy
27	28-03-2022	Melky	Orthopaedic	Makindu	37	60.7%	m	brachial nerve	blunt Force to shoulder directed posteriorly	true	humerus fractures	2 weeks	hip bone dislocation	radius fracture	non operative	cast reductions plaster pinning	non union
28	28-03-2022	Emmaculate	ОТМ	Macha	48	78.7%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	scapula fracture	non operative	closed reduction percutaneous pinning	nerve palsy
29	28-03-2022	Chepkoech Soi	Nursing	Sigowet	43	70.5%	m	brachial nerve	blunt Force to shoulder directed posteriorly	true	shoulder fractures	2 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	non union
30	28-03-2022	Unknown	Orthopedic	Unknown	30	49.2%	F	pectoralis major	blunt Force to shoulder directed posteriorly	true	olecranon process fracture	2 weeks	pneumothorax	radius fracture	non operative	cast reductions plaster pinning	non union
31	28-03-2022	Enock kipkorir	Orthopedic Trauma medicine	Kaptumo	43	70.5%	m	brachial nerve	blunt Force to shoulder directed superiorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	non operative	cast reductions plaster pinning	nerve palsy
32	28-03-2022	Joy	Orthopedic	Portreitz	42	68.9%	F	brachial nerve	blunt Force to shoulder directed superiorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	operative	closed reduction percutaneous pinning	nerve palsy
33	28-03-2022	Fay	Orthopaedic	Kisii	48	78.7%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy

https://quizzory.in/answer- sheet/624186a68a13dd6b3d3e8407
https://quizzory.in/answer- sheet/624187166aa11b6aa92a0926
https://quizzory.in/answer- sheet/624187c36aa11b6aa92a0969
https://quizzory.in/answer- sheet/624187f96aa11b6aa92a096d
https://quizzory.in/answer- sheet/6241887f1a974c6b37ffa169
https://quizzory.in/answer- sheet/6241899825aeec6af039ebc6
https://quizzory.in/answer- sheet/62418acb629f256b61ca79b2
https://quizzory.in/answer- sheet/62418ae47cf5316af62dee29
https://quizzory.in/answer- sheet/62418afa8a13dd6b3d3e85e6

34	28-03-2022	Diana	Orthopedic	port reitz	42	68.9%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	olecranon process fracture	3 weeks	hip bone dislocation	scapula fracture	non operative	closed reduction percutaneous pinning	nerve palsy	ht sł
35	28-03-2022	Ray	Clinical medicine	Port	31	50.8%	m	pectoralis major	blunt force to shoulder directed anteriorly	false	olecranon process fracture	2 weeks	hip bone dislocation	clavicle fractures	non operative	cast reductions plaster pinning	nerve palsy	ht sł
36	28-03-2022	Faith jeptoo	Orthopaedic trauma medicine	Port reitz	42	68.9%	F	brachial nerve	blunt force to shoulder directed anteriorly	true	humerus fractures	2 weeks	rib fracture	radius fracture	operative	closed reduction percutaneous pinning	stiffness	h ^ı sl
37	28-03-2022	Sam	ОТМ	Mkd	43	70.5%	m	brachial nerve	blunt Force to shoulder directed superiorly	true	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy	ht sł
38	28-03-2022	Joy	Orthopedic and trauma	Nairobi	36	59.0%	F	brachial nerve	blunt Force to shoulder directed superiorly	false	olecranon process fracture	3 weeks	hip bone dislocation	radius fracture	non operative	closed reduction percutaneous pinning	nerve palsy	h [.] sl
39	28-03-2022	Carren	Orthopaedic	Kisii	42	68.9%	F	pectoralis major	blunt force to shoulder directed anteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	clavicle fractures	non operative	closed reduction percutaneous pinning	nerve palsy	h [.] sl
40	28-03-2022	Purity	Orthopedic	Nairobi	36	59.0%	F	brachial nerve	blunt Force to shoulder directed posteriorly	true	olecranon process fracture	2 weeks	hip bone dislocation	radius fracture	operative	cast reduced plaster pront	nerve palsy	h [.] sl

Powered by SurveyHeart

/	https://quizzory.in/answer- sheet/62418b0eb8c93c6b142ccf41
/	https://quizzory.in/answer- sheet/62418beeda70dc6acc9c8e8a
	https://quizzory.in/answer- sheet/62418c00712cd06b82f5f2b3
/	https://quizzory.in/answer- sheet/62418c6f7eb0016ad321eb89
/	https://quizzory.in/answer- sheet/62418c7c8a13dd6b3d3e8752
/	https://quizzory.in/answer- sheet/62418d858723736a8d45c774
/	https://quizzory.in/answer- sheet/62418f30fb7f576b1ae401cf