

Antibiotic treatment for acute osteomyelitis should be given for:

- One week
- 3 weeks
- 6 weeks ✓ → cep
- 12 weeks
- 20 weeks

The following are true about recording a clinical history:

- The presenting complaint should be in medical language ~~X~~
- ✓ The presenting complaint should be in the patient's language ✓ T
- ✓ The longest standing complaint should be listed last under "presenting complaints" ~~X~~
- ✓ The longest standing complaint should be listed first under "presenting complaints" ✓ ✓ T
- ✓ A systemic enquiry is not necessary in most cases ~~X~~

What is suppurative infection of a joint?


- Osteoarthritis - Degeneration
- Rheumatoid arthritis - Autoimmune
- Gout - uric acid deposition → destruction
- Osgood arthritis
- Septic arthritis ✓ Ans

Severe open fracture of the tibia is best managed by:

- External fixator ✓ Ans
- Intramedullary nail
- Plating
- Rush rod - for simple → wire springs
- K-wires ~~X~~

What is the best management of an undisplaced supracondylar fracture of the humerus?

- Backslab plus armsling ✓ - Gartland I
- Manipulation and backslab. - Gartland II
- Open reduction plus K-wiring. - Gartland III
- Plating
- Closed reduction plus percutaneous pinning with wires.



Posterior dislocation of the hip joint.

- Occurs less commonly compared to anterior dislocation ~~X~~ More common
- Never damages the sciatic nerve ~~X~~ - 4 anterior ~~X~~
- Very rarely associated with a fracture of acetabulum ~~X~~ Fracture dislocation common
- Should be managed by skin traction only ~~X~~
- None of the above ✓ Ans