

UNIVERSITY OF NAIROBI  
DEPARTMENT OF SURGERY

MBCHB LEVEL III MCQ PAPER END OF ROTATION  
ASSESSMENT

DATE: Friday 28<sup>th</sup> October 2005  
TIME: 1 1/4 HOURS  
GROUP: B AND C

INSTRUCTIONS

1. MARK "T" FOR TRUE STATEMENT AND "F" FOR FALSE STATEMENT, EXCEPT WHERE INDICATED OTHERWISE
2. ONE MARK WILL BE GIVEN FOR CORRECT ANSWER AND 1/2 MARK WILL BE DEDUCTED FOR WRONG ANSWER. NO MARK WILL BE DEDUCTED IF THE QUESTION IS LEFT UNANSWERED
3. WRITE YOUR INDEX NUMBER ON EVERY PAGE

~~BECKT~~  
BECKT

AHMED  
BADERA

BPH

1. In the surgical diagnosis
  - F a. Vital signs are taken before history
  - T b. Palpation of the kidney is by balloting
  - T c. The abdomen is divided into nine quadrants
  - F d. Sister Joseph node is diagnostic of cancer of the stomach
  - F e. Ultrasound is the least invasive of investigative imaging
2. Prostate cancer
  - F a. Is a disease of only those older than 50 years
  - T b. Is uniformly fatal if untreated
  - F c. Gleason score is a prognostic indicator
  - F d. The cancer mostly arises from the transition zone
  - F e. Hormone refractory cancer is fatal
3. In inguinal hernia
  - T a. The disease can be congenital
  - F b. Surgical repair can be done under local anaesthesia
  - F c. Anaemia is not a feature
  - T d. Laparoscopic repair is done intraperitoneally
  - F e. Mesh repair is the most effective
4. In cancer of the stomach
  - T a. Anaemia is one of the commonest presenting features
  - T b. Linitis plastica has the worst prognosis
  - T c. Krukenberg tumour have metastasises to the ovaries
  - T d. Endoscopy is key to early diagnosis
  - T e. Gastrectomy can be palliative
5. In the emergency room
  - T a. Triage may imply identifying those with most immediate needs
  - T b. Fixing of an intravenous line is always done
  - F c. History taking is of secondary value
  - F d. Securing the airway follows securing of bleeding
  - T e. Inhalation burns may need admission to the ICU
6. In Benign prostatic enlargement
  - T a. The process is testosterone dependent
  - T b. Retropubic prostatectomy is mostly for prostate bigger than 100gm
  - T c. In retropubic prostatectomy the access to the adenoma is via the prostatic capsule
  - T d. Transurethral resection of the prostate uses electrocautery
  - F e. Electrolyte irrigating solutions are used during trans urethral resection of the prostate

BqL

BPE  
Prostate (peripheral zone)

Anterior prostate capsule

transverse sign  
Brest's sign  
Brest's sign

pathological grading  
peripheral zone  
BPH

Indirect inguinal Hernia

Airway  
Ex. call  
V. O. call  
V. O. call

6000

ABCDE

Anterior prostate capsule

with 2000-3000  
transurethral resection