IMPORTANT NOTE:


The following spots were removed: *D. caninum* scolex, *Hymenolepis diminuta* gravid segment, *Hymenolepis diminuta* mature segment, *Hymenolepis nana* gravid segment, *Hymenolepis nana* mature segment

SECOND YEAR PARASITOLOGY COURSE SPOTS



Oil Immersion Lens Spots (White Line)










High Power Lens Spots (Blue Line)



























Low Power Lens Spots (Yellow Line)























4X Lens Spots (Red Line)










Magnifier Spots































SNAILS:



Lymnaea caillaudi snail (Intermediate host of Fasciola gigantica)



Bulinus truncatus snail (Intermediate host of S. haematobium)




Biomphalaria alexandrina snail (Intermediate host of S. mansoni)



Pirenella conica snail (Intermediate host of Heterophyes heterophyes)

PICTURES:





Heterophyes heterophyes egg



Ascaris lumbricoides Egg




Cercaria of Schistosoma species



Trichuris trichiura Egg




Bed bug




Microbiology Staff

Trichuris trichiura Adult female





Schistosoma mansoni male and female couple



34


Macrophages with leishmania bodies



Wucheriria bancrofti larva



Lymnaea caillaudi snail
(Intermediate host of Fasciola gigantica)




Entamoeba histolytica cyst



Entamoeba histolytica trophozoite




Enterobius vermicularis
Adult male




Bulinus truncatus snail (Intermediate host of S. haematobium)

Schistosoma mansoni egg





Trichuris trichiura
Adult female



Ascaris lumbricoides
Posterior end of male

+ ADDED SPOT UNDER MICROSCOPE:

